

<b>Owner:</b> <b>DG TAXUD</b>	<b>Issue Date:</b> <b>16/03/2017</b>	<b>Version:</b> <b>13.00</b>
<b>TAXATION AND CUSTOMS UNION DG</b> <b>CUST-DEV3 - FC TAXUD/2013/CC/124 - SC 09</b>  <b>SUBJECT:</b>  <b>DDNIA for ICS P1</b>  <b>Appendix Q2: Technical Message Structure</b>  <b>(CUST-DEV3-SC09-DDNIA_APP_Q2)</b>		
<b>FRAMEWORK CONTRACT TAXUD/2013/CC/124</b> <b>SPECIFIC CONTRACT 09</b>		

<b>DDNIA for ICS P1. Version 13.00</b>	<b>Aligned to DDNIA RFC-LIST v0.29</b>
<b>REF:CUST-DEV3-SC09-DDNIA_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>1. Introduction</b>	

## **1. Introduction**

This appendix describes the detailed structure of each Functional Message Structure (FMS) identified in DDNIA for ICS P1.

The introduction text for this appendix can be found in a separate file, referred to as Appendix Q - Part 1. Appendix Q - Part 1 provides the user an overview of amendments from SAM Mapping and FTSS-AES Addendum [A4]. Furthermore, it explains the usage of Technical Rules.

FMSs are organised into data groups that contain data items. A data group is not necessarily the equivalent of a database entity. The data items are grouped together in such a way that they build up coherent logical blocks within the scope of each FMS.

This appendix lists:

- the characteristics of the data groups belonging to the FMS: sequence, number of repetitions, a status value to indicate if the data group is mandatory (R: Required), optional (O: Optional) or conditional (D: Dependent)
- data group indentation indicates that the data group may contain not only data items but also other groups of data
- Rules and Conditions applying
- Applicable ICS P1 Codelists

## **DDNA RFC-List Alignment**

The specific Appendix is aligned to DDNA RFC-List V0.29

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
2. FORMAT DIFFERENCES	

## 2. FORMAT DIFFERENCES

Data Group	Data Item	FMS Format	DDNA Format	Reasons
FUNCTIONAL ERROR	Error reason	an..4	an..6	Technical Rules and Conditions can be up to 6 characters.
GOODS ITEM	Textual description	an..140	an..280	SAM, agreed
HEADER	Identity of means of transport crossing border	an..31	an..27	SAM, agreed
HEADER	MRN	an18	an..21	SAM, NCTS
HEADER & GOODS ITEM	Type of declaration	an..5	an..9	The format of Type of declaration (Box 1.1) has been aligned with this of ECS P1 and NCTS. However, the format an..5 will be used in IE32/IE932.
PACKAGE	Kind of packages	an2	an..3	TAXUD/1271/2003
PRODUCED DOCUMENTS/CERTIFICATES	Document Reference	an..20	an..35	SAD, agreed
SPECIAL MENTIONS	Additional information id	an..3	an..5	
UNIT OF MEASURE Sensitive goods (IE32)	Unit of measure	a3	an..3	SAM2

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
3. NAMING DIFFERENCES	

### 3. NAMING DIFFERENCES

Data Group	FTSS Data Item Name	SAM DDNA Data Item Name
All data groups	All LNG fields	These are renamed to the name of the original free text field, followed by the suffix LNG, without any underscores.
CUSTOMS OFFICE 'role-name'		(ROLENAME) CUSTOMS OFFICE for roles: of Lodgement ('of' dropped) of first Entry ('of' dropped) of subsequent Entry ('of' dropped) Actual Office of Entry Actual Office of first Entry Actual Office of subsequentEntry
GOODS ITEM	Destination country Declaration type Textual description Textual description language code Country of export	Country of Destination Type of declaration Goods description Goods description LNG Country of dispatch/export code
GOODS ITEM	Destination country Declaration type Textual description Textual description language code Country of export Commodity code	Country of Destination Type of declaration Goods description Goods description LNG Country of dispatch/export code Commodity code (taric code)
HEADER	MRN LRN Declaration type Destination country all 'Identity ' all 'Nationality ' Pre-Arrival LRN Manifest LRN	Document/reference number Reference number Type of declaration Country of destination Identity of means of transport Nationality of means of transport Pre-Arrival reference number Manifest reference number
HEADER/GOODS ITEM	Loading place Unloading place	Place of loading Place of unloading
PRODUCED DOCUMENTS/CERTIFICATES	Additional information id	Additional information coded
RISK ANALYSIS	Item Number (Box 32) involved IDENTITY of Means of Transport at Border (ex. Box 21) Nationality crossing border (box 21) Transport mode at border (box 25) Kind of packages (Box 31)	Item Number involved Identity of means of transport crossing border Nationality of means of transport crossing border Transport mode at border Nationality crossing border Kind of packages
TRADER	Country Postcode	Country code Postal code

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE030	

#### 4. Message Structure for: IE030

IE030	(CD030C)	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	(C_COL_COM)
-------	----------	--	-------------

MESSAGE	1x	R	
--CUSTOMS OFFICE INFORMATION	9999x	O	
-----ACTION	1x	R	
------(DEDICATED) TRADER	99x	O	
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O	
-----CUSTOMS OFFICE LSD	9x	R	
-----CUSTOMS OFFICE TIMETABLE	9x	D	TR0030
-----CUSTOMS OFFICE TIMETABLE LINE	99x	R	
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R	
--COUNTRY/REGION	99x	O	
-----ACTION	1x	R	
-----COUNTRY/REGION LSD	9x	R	
-----COUNTRY/REGION HOLIDAYS	99x	O	
-----COUNTRY/REGION HOLIDAYS LSD	9x	R	
--COUNTRY HOLIDAYS	99x	O	
-----ACTION	1x	R	
-----COUNTRY HOLIDAYS DATA	99x	R	
-----COUNTRY HOLIDAYS DATA LSD	9x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE030	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8	CL141	
Reference number main office	O	an8		R489
Reference number higher authority	O	an8		R490
Reference number take-over	D	an8		R495 TR9201
Reference number Competent Authority of Enquiry	O	an8		TR9160
Reference number Competent Authority of Recovery	O	an8		TR9170
Country code	R	a2	CL070	
UN/LOCODE id	O	a3		R460
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		C410
Nearest office LNG	O	a2	CL012	
Postal code	R	an..9		
Phone number	O	an..35		R500
Fax number	O	an..35		R500
Telex number	O	an..35		R500
E-mail address	O	an..70		R500
Geo info code	O	an..6	CL015	
Trader dedicated	R	n1	CL027	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410 TR9200
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	CL012	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	CL067	R486
---------------------	---	-------	-------	------

## -----CUSTOMS OFFICE LSD

Language code	R	a2	CL012	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	CL012	
Street and number	R	an..35		
Street and number LNG	O	a2	CL012	
City	R	an..35		R422
City LNG	O	a2	CL012	
Prefix-suffix level	O	an1	CL053	
Prefix-suffix flag	R	n1	CL027	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	CL012	
Space to add	R	n1	CL027	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE030	

#### -----CUSTOMS OFFICE TIMETABLE

Season code	R	n1		R425
Season name	O	an..35		
Season name LNG	O	a2	CL012	
Season start date	R	n8		TR0403
Season end date	R	n8		TR0403

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	CL105	R430
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	CL105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	CL056	
Traffic type	R	an..3	CL020	

#### ---COUNTRY/REGION

Country code	R	a2	CL070	
Country/region code	R	an..3		

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY/REGION LSD

Language code	R	a2	CL012	
Country/region name	R	an..35		
Country/region name LNG	O	a2	CL012	

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	CL027	R232
Day	R	an2		
Month	R	an2	CL026	
Year	D	n4		C295

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	CL012	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	CL012	

#### ---COUNTRY HOLIDAYS

Country code	R	a2	CL070	
--------------	---	----	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY HOLIDAYS DATA

Variable holiday date	R	n1	CL027	R232
Day	R	an2		
Month	R	an2	CL026	
Year	D	n4		C295

#### -----COUNTRY HOLIDAYS DATA LSD

Language code	R	a2	CL012	
Public holiday name	R	an..35		

<b>DDNIA for ICS P1. Version 13.00</b>	<b>Aligned to DDNIA RFC-LIST v0.29</b>
<b>REF:CUST-DEV3-SC09-DDNIA_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>4. Message Structure for: IE030</b>	

Public holiday name LNG

O a2 CL012



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE031	

#### 4. Message Structure for: IE031

IE031	(CD031C)	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	(C_COL_NAT)
-------	----------	--	-------------

MESSAGE	1x	R	
--CUSTOMS OFFICE INFORMATION	9999x	O	
-----ACTION	1x	R	
------(DEDICATED) TRADER	99x	O	
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O	
-----CUSTOMS OFFICE LSD	9x	R	
-----CUSTOMS OFFICE TIMETABLE	9x	D	TR0030
-----CUSTOMS OFFICE TIMETABLE LINE	99x	R	
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R	
--COUNTRY/REGION	99x	O	
-----ACTION	1x	R	
-----COUNTRY/REGION LSD	9x	R	
-----COUNTRY/REGION HOLIDAYS	99x	O	
-----COUNTRY/REGION HOLIDAYS LSD	9x	R	
--COUNTRY HOLIDAYS	99x	O	
-----ACTION	1x	R	
-----COUNTRY HOLIDAYS DATA	99x	R	
-----COUNTRY HOLIDAYS DATA LSD	9x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE031	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8	CL141	
Reference number main office	O	an8		R489
Reference number higher authority	O	an8		R490
Reference number take-over	D	an8		R495 TR9201
Reference number Competent Authority of Enquiry	O	an8		TR9160
Reference number Competent Authority of Recovery	O	an8		TR9170
Country code	R	a2	CL070	
UN/LOCODE id	O	a3		R460
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		C410
Nearest office LNG	O	a2	CL012	
Postal code	R	an..9		
Phone number	O	an..35		R500
Fax number	O	an..35		R500
Telex number	O	an..35		R500
E-mail address	O	an..70		R500
Geo info code	O	an..6	CL015	
Trader dedicated	R	n1	CL027	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	CL012	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	CL067	R486
---------------------	---	-------	-------	------

## -----CUSTOMS OFFICE LSD

Language code	R	a2	CL012	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	CL012	
Street and number	R	an..35		
Street and number LNG	O	a2	CL012	
City	R	an..35		R422
City LNG	O	a2	CL012	
Prefix-suffix level	O	an1	CL053	
Prefix-suffix flag	R	n1	CL027	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	CL012	
Space to add	R	n1	CL027	

## -----CUSTOMS OFFICE TIMETABLE

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE031	

Season code	R	n1	R425
Season name	O	an..35	
Season name LNG	O	a2	CL012
Season start date	R	n8	TR0403
Season end date	R	n8	TR0403

-----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	CL105	R430
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	CL105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	CL056
Traffic type	R	an..3	CL020

---COUNTRY/REGION

Country code	R	a2	CL070
Country/region code	R	an..3	

-----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

-----COUNTRY/REGION LSD

Language code	R	a2	CL012
Country/region name	R	an..35	
Country/region name LNG	O	a2	CL012

-----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	CL027	R232
Day	R	an2		
Month	R	an2	CL026	
Year	D	n4		C295

-----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	CL012
Public holiday name	R	an..35	
Public holiday name LNG	O	a2	CL012

---COUNTRY HOLIDAYS

Country code	R	a2	CL070
--------------	---	----	-------

-----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

-----COUNTRY HOLIDAYS DATA

Variable holiday date	R	n1	CL027	R232
Day	R	an2		
Month	R	an2	CL026	
Year	D	n4		C295

-----COUNTRY HOLIDAYS DATA LSD

Language code	R	a2	CL012
Public holiday name	R	an..35	
Public holiday name LNG	O	a2	CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

#### 4. Message Structure for: IE032

IE032	(CD032C)	NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	(C_REF_MOD)
-------	----------	--	-------------

MESSAGE		1x	R	
---RESULTS OF CONTROL		99x	O	TR1012
-----LANGUAGE SPECIFIC DATA		99x	R	
-----ACTION		1x	R	
---AMENDMENT REJECTION MOTIVATION		9x	O	TR1015
-----LANGUAGE SPECIFIC DATA		99x	R	
-----ACTION		1x	R	
---AAR/AER REJECTION REASON		99x	O	TR1012
-----LANGUAGE SPECIFIC DATA		99x	R	
-----ACTION		1x	R	
---ATR REJECTION REASON		99x	O	TR1002
-----LANGUAGE SPECIFIC DATA		99x	R	
-----ACTION		1x	R	
---CONTROL RESULT CODE		99x	O	TR1012
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---COUNTRY		999x	O	
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---COUNTRY REGIME		9x	O	
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---CUSTOMS OFFICE GEO INFO		99x	O	
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---CURRENCY CODE		99x	O	TR1012
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---DISCREPANCIES SOLVED NOTIFICATION		99x	O	TR1002
-----LANGUAGE SPECIFIC DATA		99x	R	
-----ACTION		1x	R	
---DIVERSION REJECTION REASON		99x	O	TR1012
-----LANGUAGE SPECIFIC DATA		99x	R	
-----ACTION		1x	R	
---DOCUMENT TYPE		999x	O	TR1015
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---GUARANTEE TYPE		99x	O	TR1002
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---GUARANTEE MONITORING		99x	O	TR1002
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---INVALID GUARANTEE REASON		99x	O	TR1002
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---LANGUAGE CODE		999x	O	
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---PACKAGING CODE		999x	O	TR1015
-----ACTION		1x	R	
-----LANGUAGE SPECIFIC DATA		99x	R	
---ROLE		99x	O	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SENSITIVE GOODS CODE	99x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIAL MENTION CODE	99x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---STATISTICS TYPE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---TRAFFIC TYPE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---CUSTOMS OPERATION STATE TYPE	99x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UNIT OF MEASURE	99x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UN/LOCODE	9999x	O	
-----ACTION	1x	R	
---TRANSPORT MODE	99x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---QUERY ON GUARANTEE TYPE	99x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIFIC NOTES CODE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---COMPLEMENTARY CODE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EXPORT QUERY REASON CODE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---INCOTERM CODE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---NATURE OF TRANSACTION CODE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PROCEDURE REQUESTED	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PREVIOUS PROCEDURE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REPRESENTATIVE STATUS CODE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---RISK ANALYSIS RESULT CODE	99x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIFIC CIRCUMSTANCE INDICATOR	99x	O	TR1015
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---SUMMARY DECLARATION REJECTION REASON CODE	99x	O	TR1013

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---TYPE OF TAX	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---WAREHOUSE TYPE	99x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UN DANGEROUS GOODS CODE	999x	O	TR1015
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---COMMUNITY NATIONAL PROCEDURE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PREVIOUS DOCUMENT CATEGORY	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---METHOD OF PAYMENT	99x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---TRANSPORT CHARGES METHOD OF PAYMENT	99x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---DECLARATION TYPE	99x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---DECLARATION TYPE (BOX 1.2)	99x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---INFORMATION	99x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---PREVIOUS DOCUMENT TYPE	99x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---REQUESTED INFORMATION	99x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ITEM NUMBER REJECTION REASON CODE	99x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---CUSTOMS INTERVENTION	99x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---INFORMATION TYPE	99x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---RESPONSE CODE	99x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EORI-AEO VAT MS COUNTRY CODE	999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ECONOMIC SECTOR OF ACTIVITY	999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---TYPE OF PERSON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

---AEO CERTIFICATE TYPE	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EORI-AEO ERROR	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CRITERIA	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CUSTOMS PROCEDURE	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REJECTION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---SUSPENSION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REVOCATION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---INITIATOR	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ACTIVITY	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PROCESS	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---TIMER	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---STATE	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EXTENSION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CRITERION RESULT	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REASSESSMENT REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---RESULTS OF CONTROL

Control indicator	R	an2	CL041	
-------------------	---	-----	-------	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AMENDMENT REJECTION MOTIVATION

Amendment rejection motivation code	R	n1	CL045	
-------------------------------------	---	----	-------	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AAR/AER REJECTION REASON

AAR/AER rejection reason code	R	n..2	CL043	
-------------------------------	---	------	-------	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---ATR REJECTION REASON

ATR rejection reason code	R	n..2	CL044	
---------------------------	---	------	-------	--



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---CONTROL RESULT CODE

Control result code	R	an2	CL047	
---------------------	---	-----	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### ---COUNTRY

Country code	R	a2	CL008	
TCC entry date	R	n8		
NCTS entry date	R	n8		
Geo-nomenclature code	O	n3		
Country regime code	R	an3	CL011	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### ---COUNTRY REGIME

Country regime code	R	an3	CL011	
---------------------	---	-----	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---CUSTOMS OFFICE GEO INFO**

Geo info code	R	an..6	CL015
---------------	---	-------	-------

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---CURRENCY CODE**

Currency	R	an3	CL048
Rate value	R	n..8,6	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---DISCREPANCIES SOLVED NOTIFICATION**

Discrepancies solved notification code	R	an..2	CL069
--	---	-------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---DIVERSION REJECTION REASON**

Diversion rejection reason code	R	n..2	CL046
---------------------------------	---	------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**-----ACTION**

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---DOCUMENT TYPE</b>				
Document type	R	an..4	CL013	
Transport document	R	n1	CL027	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>---GUARANTEE TYPE</b>				
Guarantee type	R	an1	CL051	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---GUARANTEE MONITORING</b>				
Guarantee monitoring code	R	n1	CL050	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---INVALID GUARANTEE REASON</b>				
Invalid guarantee reason code	R	an..3	CL052	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---LANGUAGE CODE</b>				
Language code	R	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---PACKAGING CODE</b>				
Kind of packages	R	an..3	CL017	R456
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---ROLE</b>				
Role	R	an..3	CL056	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---SENSITIVE GOODS CODE</b>				
Commodity code (taric code)	R	an..6	CL062	R445

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Sensitive goods code	O	n..2	CL064	R445
Reference quantity	O	n..6		
Unit of measure code	O	an..3	CL059	
EEC territory limitation	R	n1	CL027	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---SPECIAL MENTION CODE</b>				
Additional information coded	R	an..5	CL039	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---STATISTICS TYPE</b>				
Statistics type	R	an..4	CL057	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---TRAFFIC TYPE</b>				
Traffic type	R	an..3	CL020	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### ---CUSTOMS OPERATION STATE TYPE

Customs Operation State Types	R	an..3	CL058	
-------------------------------	---	-------	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### ---UNIT OF MEASURE

Unit of measure code	R	an..3	CL059	
----------------------	---	-------	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### ---UN/LOCODE

Country code	R	a2	CL008	
UN/LOCODE id	R	a3		R460
UN/LOCODE name	R	an..29		R422

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---TRANSPORT MODE

Transport mode	R	n..2	CL018	
----------------	---	------	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**---QUERY ON GUARANTEE TYPE**

Query identifier	R	n1	CL054	
------------------	---	----	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**---SPECIFIC NOTES CODE**

Specific notes code	R	an..6	CL067	
---------------------	---	-------	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

**---COMPLEMENTARY CODE**

Complementary code	R	n1	CL086	
--------------------	---	----	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---EXPORT QUERY REASON CODE**

Export_Query Reason Code	R	an..3	CL089	
--------------------------	---	-------	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
-----------	---	----	-------	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---INCOTERM CODE</b>			
Incoterm Code	R	a3	CL090
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---NATURE OF TRANSACTION CODE</b>			
Nature of transaction code	R	n..2	CL091
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---PROCEDURE REQUESTED</b>			
Procedure requested	R	an2	CL092
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---PREVIOUS PROCEDURE</b>			
Previous Procedure	R	an2	CL093
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---REPRESENTATIVE STATUS CODE**

Representative status code	R	n1	CL094	
----------------------------	---	----	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---RISK ANALYSIS RESULT CODE**

Risk Analysis result code	R	an1	CL095	
---------------------------	---	-----	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**---SPECIFIC CIRCUMSTANCE INDICATOR**

Specific Circumstance Indicator	R	a1	CL096	
---------------------------------	---	----	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---SUMMARY DECLARATION REJECTION REASON CODE**

Summary Declaration rejection reason code	R	n..2	CL097	
---	---	------	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
-----------	---	----	-------	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>---TYPE OF TAX</b>			
Type of tax	R	an3	CL098
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---WAREHOUSE TYPE</b>			
Warehouse type	R	a1	CL099
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>---UN DANGEROUS GOODS CODE</b>			
UN dangerous goods code	R	an4	CL101
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---COMMUNITY NATIONAL PROCEDURE</b>			
Community / National Procedure	R	an3	CL102

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---PREVIOUS DOCUMENT CATEGORY

Previous Document Category	R	a1	CL103
----------------------------	---	----	-------

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---METHOD OF PAYMENT

Method of payment	R	a1	CL104
-------------------	---	----	-------

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

#### ---TRANSPORT CHARGES METHOD OF PAYMENT

Transport charges/ Method of Payment	R	a1	CL116
--------------------------------------	---	----	-------

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

### ---DECLARATION TYPE

Type of declaration R an..9 CL031

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

Description R an..140

Language specific data LNG O a2 CL012

### ---DECLARATION TYPE (BOX 1.2)

Type of declaration (Box 1.2) R a1 CL087

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

Description R an..140

Language specific data LNG O a2 CL012

### ---INFORMATION

Information Code R n2 CL119

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

Description R an..140

Language specific data LNG O a2 CL012

### ---PREVIOUS DOCUMENT TYPE

Previous document type R an..6 CL014

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---REQUESTED INFORMATION</b>				
Requested Information Code	R	n1	CL118	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ITEM NUMBER REJECTION REASON CODE</b>				
Item number rejection reason code	R	n..2	CL106	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---CUSTOMS INTERVENTION</b>				
Customs Intervention code	R	an..4	CL108	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---INFORMATION TYPE</b>				
Information type	R	n..2	CL109	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---RESPONSE CODE**

Response Code	R	n..2	CL029
---------------	---	------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---EORI-AEO VAT MS COUNTRY CODE**

VAT MS country code	R	a2	CL113
---------------------	---	----	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---ECONOMIC SECTOR OF ACTIVITY**

Economic sector of activity code	R	an..4	CL114
----------------------------------	---	-------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---TYPE OF PERSON**

Type of person code	R	n1	CL115
---------------------	---	----	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
-----------	---	----	-------	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---AEO CERTIFICATE TYPE</b>				
AEO certificate type code	R	an4	CL120	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---EORI-AEO ERROR</b>				
EORI-AEO Error code	R	an..50	CL121	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---CRITERIA</b>				
Criteria code	R	an..3	CL122	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---CUSTOMS PROCEDURE</b>				
Customs procedure code	R	an..5	CL123	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---REJECTION REASON

Rejection reason code	R	an..2	CL124	
-----------------------	---	-------	-------	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---SUSPENSION REASON

Suspension reason code	R	an1	CL125	
Light client excluded	R	n1	CL027	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---REVOCATION REASON

Revocation reason code	R	an1	CL126	
Light client excluded	R	n1	CL027	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---INITIATOR

Initiator code	R	an1	CL127	
----------------	---	-----	-------	--



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Light client excluded	R	n1	CL027	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ACTIVITY</b>				
Activity code	R	an1	CL128	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---PROCESS</b>				
Process code	R	an1	CL129	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---TIMER</b>				
Timer code	R	an1	CL130	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Action identification	R	an..20	TR9001
<b>---STATE</b>			
State code	R	an1	CL131
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---EXTENSION REASON</b>			
Extension reason code	R	an2	CL132
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---CRITERION RESULT</b>			
Criterion result code	R	n1	CL133
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---REASSESSMENT REASON</b>			
Reassessment reason code	R	n..2	CL134
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE032	

Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE070	

#### 4. Message Structure for: IE070

IE070	(CD070B)	NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	(C_UNA_COM)
-------	----------	---	-------------

MESSAGE	1x	R	
--COUNTRY	1x	R	
-----ACTION	9x	R	
-----SYSTEM UNAVAILABILITY	99x	R	TR0704

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE070	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---COUNTRY

Country code	R	a2	CL008	
--------------	---	----	-------	--

## -----ACTION

Operation	R	a1	CL024	R411
-----------	---	----	-------	------

## -----SYSTEM UNAVAILABILITY

Business functionality	R	a1	CL068	
Downtime from	R	n12		R660 TR0703 TR9002 TR9020
System unavailability type	R	a1	CL079	TR0700 TR0702
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	CL012	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE071	

#### 4. Message Structure for: IE071

IE071	(CD071B)	NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	(C_UNA_NAT)
-------	----------	---	-------------

MESSAGE	1x	R	
--COUNTRY	99x	R	
-----ACTION	9x	R	
-----SYSTEM UNAVAILABILITY	99x	R	TR0704

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE071	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---COUNTRY

Country code	R	a2	CL008	
--------------	---	----	-------	--

## -----ACTION

Operation	R	a1	CL024	R411
-----------	---	----	-------	------

## -----SYSTEM UNAVAILABILITY

Business functionality	R	a1	CL068	
Downtime from	R	n12		R660 TR0703 TR9020
System unavailability type	R	a1	CL079	TR0702
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	CL012	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE301	

#### 4. Message Structure for: IE301

IE301	(CD301A)	ENS	(C_ENS_SND)
MESSAGE		1x	R
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C567 R866
-----SPECIAL MENTIONS		99x	O
----- (CONSIGNOR) TRADER		1x	D C511
----- (CODE) COMMODITY		1x	D C585
----- (CONSIGNEE) TRADER		1x	D C584
-----CONTAINERS		99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C584
---ITINERARY		99x	D C570 R879
---RISK ANALYSIS		999x	O R816
---(LODGEMENT) CUSTOMS OFFICE		1x	O R827
---(REPRESENTATIVE) TRADER		1x	O R896
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---SEALS ID		9999x	O
---(FIRST ENTRY) CUSTOMS OFFICE		1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		99x	O R808
---(ENTRY CARRIER) TRADER		1x	O R806



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE301	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Transport mode at border	R	n..2	CL018	C529 R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	CL012	
Nationality of means of transport crossing border	D	a2	CL008	C024
Total number of items	R	n..5		
Total number of packages	D	n..7		C582 R105
Total gross mass	O	n..11,3		
Declaration place	R	an..35		
Declaration place LNG	O	a2	CL012	
Specific Circumstance Indicator	O	a1	CL096	R834
Transport charges/ Method of Payment	O	a1	CL116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		R843 TR0518 TR0519
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	CL012	
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	CL012	
Declaration registration date and time	R	n12		R660 R661
Declaration Submitted Date and Time	R	n12		R660
Declaration date and time	R	n12		R660
Document/reference number Communicated	R	n1	CL027	

## ---(CONSIGNOR) TRADER

Name	O	an..35		R501
Street and number	O	an..35		R501
Postal code	O	an..9		R501
City	O	an..35		R501
Country code	O	a2	CL008	R501
NAD LNG	O	a2	CL012	R501
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	O	an..35		R501
Street and number	O	an..35		R501
Postal code	O	an..9		R501
City	O	an..35		R501
Country code	O	a2	CL008	R501
NAD LNG	O	a2	CL012	R501
TIN	D	an..17		C562 R840

## ---NOTIFY PARTY

Name	O	an..35		R501
------	---	--------	--	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE301	

Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840

#### ---GOODS ITEM

Item number	R	n..5	R005 R007
Goods description	O	an..280	
Goods description LNG	O	a2	CL012
Gross mass	D	n..11,3	C592
Transport charges/ Method of Payment	D	a1	CL116 C576
Commercial Reference Number	D	an..70	C567
UN dangerous goods code	O	an4	CL101 R823
Place of loading	D	an..35	C574 R670
Place of loading LNG	O	a2	CL012
Place of unloading	D	an..35	C579 R670
Place of unloading LNG	O	a2	CL012

#### -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	CL013 R866
Document reference	R	an..35	R866
Document reference LNG	O	a2	CL012

#### -----SPECIAL MENTIONS

Additional information coded	R	an..5	CL039 R080
------------------------------	---	-------	------------

#### -----((CONSIGNOR) TRADER

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840

#### -----((CODE) COMMODITY

Combined Nomenclature	R	an..8	R881
-----------------------	---	-------	------

#### -----((CONSIGNEE) TRADER

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	D	an..17	C562 R840

#### -----CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

#### -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	CL008 C020
Identity of means of transport crossing border	R	an..27	C514
Identity of means of transport crossing border LNG	O	a2	CL012

#### -----PACKAGES

Kind of packages	R	an..3	CL017
Number of packages	D	n..5	C062 R021 TR0022
Number of pieces	D	n..5	C062

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE301	

Marks & numbers of packages (long)	D	an..140	C062
Marks & numbers of packages (long) LNG	O	a2	CL012
<b>-----NOTIFY PARTY</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840
<b>---ITINERARY</b>			
Country of routing code	R	a2	CL008
<b>---RISK ANALYSIS</b>			
Item Number involved	O	n..5	R824 R875
Risk Analysis result code	R	an..5	TR9175
Risk Analysis text	O	an..350	
Risk Analysis LNG	O	a2	CL012
<b>---(LODGEMENT) CUSTOMS OFFICE</b>			
Reference number	R	an8	R828 R836
<b>---(REPRESENTATIVE) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	R	an..17	R837
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	R	an..17	R837
<b>---SEALS ID</b>			
Seals identity	R	an..20	
Seals identity LNG	O	a2	CL012
<b>---(FIRST ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
Expected date and time of arrival	R	n12	R660 R666
<b>---(SUBSEQUENT ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(ENTRY CARRIER) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	D	an..17	C502 R840

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE302	

#### 4. Message Structure for: IE302

IE302	(CD302A)	DECLARATION REQUEST IMPORT	(C_IMP_REQ)
-------	----------	----------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(REQUESTER) CUSTOMS OFFICE	1x	R	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	O	
---IMPORT OPERATION	9999x	D	C520
-----GOODS ITEM	999x	O	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE302	

**MESSAGE**

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

**---HEADER**

Transport mode at border	R	n..2	CL018	R826
Country code of Office of first Entry declared	R	a2	CL010	R899
Declaration request number	R	an..22		R033
Information type	R	n..2	CL109	
Identification of the means of transport	D	an..35		C515 C516 R031
Expected date of arrival	D	n8		C523 R030 R666

**---(REQUESTER) CUSTOMS OFFICE**

Reference number	R	an8		
------------------	---	-----	--	--

**---(FIRST ENTRY) CUSTOMS OFFICE**

Reference number	R	an8		
------------------	---	-----	--	--

**---IMPORT OPERATION**

Document/reference number	R	an..21		
---------------------------	---	--------	--	--

**-----GOODS ITEM**

Item number	R	n..5		R897
-------------	---	------	--	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE303	

#### 4. Message Structure for: IE303

IE303	(CD303A)	ENTRY SUMMARY DECLARATION RESPONSE	(C_ENS_RSP)
-------	----------	---------------------------------------	-------------

MESSAGE	1x	R	
--HEADER	1x	R	
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R	
---SUMMARY DECLARATION REJECTION	9999x	O	R040
---IMPORT OPERATION	9999x	D	C525 R148
-----ITINERARY	99x	D	C540 C570 R879
----- (CONSIGNOR) TRADER	1x	D	C542 R501
----- (CONSIGNEE) TRADER	1x	D	C542 R501
-----NOTIFY PARTY	1x	D	C542 R501
----- (REPRESENTATIVE) TRADER	1x	O	R896
----- (ENTRY CARRIER) TRADER	1x	O	R806
-----GOODS ITEM	999x	D	C540
----- (CONSIGNOR) TRADER	1x	D	R501
----- (CONSIGNEE) TRADER	1x	D	C584
-----NOTIFY PARTY	1x	D	C584
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
-----PACKAGES	99x	D	C577
----- (CODE) COMMODITY	1x	D	C585
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567 R866
-----SPECIAL MENTIONS	99x	O	
----- (LODGEMENT) CUSTOMS OFFICE	1x	O	R827
----- (FIRST ENTRY) CUSTOMS OFFICE	1x	R	
----- (SUBSEQUENT ENTRY) CUSTOMS OFFICE	99x	O	R808
-----SEALS ID	9999x	O	
-----RISK ANALYSIS	999x	D	C540 R132 R820
----- (LODGING SUMMARY DECLARATION) PERSON	1x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE303	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	R	n..2	CL018	R037 R826
Country code of Office of first Entry declared	R	a2	CL010	R899
Declaration request number	O	an..22		R033
Information type	R	n..2	CL109	
Diversion reference number	D	an..22		R034
Identification of the means of transport	O	an..35		C515 C516 R031 R038
Risk	R	n1	CL027	
Expected date of arrival	D	n8		R030 R039 R666

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---SUMMARY DECLARATION REJECTION

Document/reference number	O	an..21		R028
Summary Declaration Rejection Item Number	O	n..5		
Summary Declaration rejection reason code	R	n..2	CL097	
Summary Declaration rejection reason	D	an..350		C305
Summary Declaration rejection reason LNG	O	a2	CL012	

## ---IMPORT OPERATION

Document/reference number	R	an..21		
ENS Risk	R	n1	CL027	
Reference number	D	an..22		C540
Transport mode at border	D	n..2	CL018	C513 C540 R826
Declaration date and time	D	n12		C540 R660
Declaration registration date and time	D	n12		C540 R660 R661
Amendment acceptance date and time	O	n12		C527 R660 R662
Declaration Submitted Date and Time	D	n12		C527 R660
Total number of items	R	n..5		R221
Total number of packages	D	n..7		C550 C582 R221
Commercial Reference Number	D	an..70		C542 C567
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	CL012	C527
Conveyance reference number	D	an..35		C527 R843 TR0518 TR0519

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE303	

Place of loading	D	an..35	C550 C574 R670
Place of loading LNG	O	a2	CL012 C527
Place of unloading	D	an..35	C527 R670
Place of unloading LNG	O	a2	CL012 C527
Total gross mass	O	n..11,3	R221
Specific Circumstance Indicator	D	a1	CL096 C527 R834
Transport charges/ Method of Payment	D	a1	CL116 C527
Declaration place	D	an..35	C540
Declaration place LNG	O	a2	CL012
Nationality of means of transport crossing border	D	a2	CL008 C024

#### -----ITINERARY

Country of routing code	R	a2	CL008
-------------------------	---	----	-------

#### ----- (CONSIGNOR) TRADER

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840

#### ----- (CONSIGNEE) TRADER

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	D	an..17	C562 R840

#### -----NOTIFY PARTY

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840

#### ----- (REPRESENTATIVE) TRADER

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	R	an..17	R837

#### ----- (ENTRY CARRIER) TRADER

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	D	an..17	C502 R840

#### -----GOODS ITEM



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE303	

Item number	R	n..5	R005
Commercial Reference Number	D	an..70	C567
Goods description	O	an..280	
Goods description LNG	O	a2	CL012
Gross mass	D	n..11,3	C592
UN dangerous goods code	O	an4	CL101 R823
Transport charges/ Method of Payment	D	a1	CL116 C576
Place of loading	D	an..35	C574 R670
Place of loading LNG	O	a2	CL012
Place of unloading	D	an..35	C579 R670
Place of unloading LNG	O	a2	CL012
<b>------(CONSIGNOR) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840
<b>------(CONSIGNEE) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
Country code	O	a2	CL008 R501
City	O	an..35	R501
NAD LNG	O	a2	CL012 R501
TIN	D	an..17	C562 R840
<b>-----NOTIFY PARTY</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840
<b>-----CONTAINERS</b>			
Container number	R	an..17	
<b>------(MEANS OF TRANSPORT AT BORDER) IDENTITY</b>			
Identity of means of transport crossing border	R	an..27	C514
Identity of means of transport crossing border LNG	O	a2	CL012
Nationality	D	a2	CL008 C020
<b>-----PACKAGES</b>			
Kind of packages	R	an..3	CL017
Number of packages	D	n..5	C062 R021
Number of pieces	D	n..5	C062
Marks & numbers of packages (long)	D	an..140	C062
Marks & numbers of packages (long) LNG	O	a2	CL012
<b>------(CODE) COMMODITY</b>			
Combined Nomenclature	R	an..8	R881
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>			
Document type	R	an..4	CL013 R866
Document reference	R	an..35	R866
Document reference LNG	O	a2	CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE303	

-----**SPECIAL MENTIONS**

Additional information coded R an..5 CL039 R080

-----**(LODGEMENT) CUSTOMS OFFICE**

Reference number R an8

-----**(FIRST ENTRY) CUSTOMS OFFICE**

Reference number R an8  
Expected date and time of arrival R n12 R660  
R666

-----**(SUBSEQUENT ENTRY) CUSTOMS OFFICE**

Reference number R an8

-----**SEALS ID**

Seals identity R an..20  
Seals identity LNG O a2 CL012

-----**RISK ANALYSIS**

Item Number involved O n..5 R824  
R875  
Risk Analysis result code R an..5 TR9175  
Risk Analysis text O an..350  
Risk Analysis LNG O a2 CL012

-----**(LODGING SUMMARY DECLARATION) PERSON**

Name O an..35 R501  
Street and number O an..35 R501  
Postal code O an..9 R501  
City O an..35 R501  
Country code O a2 CL008 R501  
NAD LNG O a2 CL012 R501  
TIN R an..17 R837

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE304	

#### 4. Message Structure for: IE304

IE304	(CC304A)	ENTRY SUMMARY DECLARATION AMENDMENT ACCEPTED	(E_ENS_AAC)
-------	----------	---	-------------

MESSAGE	1x	R	
--HEADER	1x	R	
--GOODS ITEM	999x	O	R134
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
---(REPRESENTATIVE) TRADER	1x	D	C552
---(LODGING SUMMARY DECLARATION) PERSON	1x	D	C552
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	R814
---(ENTRY CARRIER) TRADER	1x	O	R134

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE304	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	R	an..21		
Transport mode at border	O	n..2	CL018	R134 R826
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099
Nationality of means of transport crossing border	D	a2	CL008	C024 R134
Commercial Reference Number	O	an..70		R134
Conveyance reference number	D	an..35		R134 R843 TR0518 TR0519
Amendment acceptance date and time	R	n12		R660 R662
Date and Time of amendment	R	n12		R660

## ---GOODS ITEM

Item number	R	n..5		R005 R007
Commercial Reference Number	O	an..70		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	CL013	R136
Document reference	R	an..35		
Document reference LNG	O	a2	CL012	TR0099

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	CL008	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099

## ---((REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R837

## ---((LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R837

## ---((FIRST ENTRY) CUSTOMS OFFICE

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE304	

Reference number	R	an8	
Expected date and time of arrival	O	n12	R134 R660 R666

**---(ENTRY CARRIER) TRADER**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE305	

#### 4. Message Structure for: IE305

IE305	(CC305A)	ENTRY SUMMARY DECLARATION AMENDMENT REJECTION	(E_ENS_ARJ)
-------	----------	--	-------------

MESSAGE	1x	R	
--HEADER	1x	R	
--FUNCTIONAL ERROR	999x	O	R123
--(REPRESENTATIVE) TRADER	1x	D	C552
--(LODGING SUMMARY DECLARATION) PERSON	1x	D	C552
--(FIRST ENTRY) CUSTOMS OFFICE	1x	R	R814

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE305	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	R	an..21		
Amendment rejection motivation code	O	n1	CL045	
Amendment rejection motivation text	D	an..350		C310
Amendment rejection motivation text LNG	O	a2	CL012	TR0099
Date and Time of amendment	R	n12		R660
Amendment rejection date and time	R	n12		R660

## ---FUNCTIONAL ERROR

Error type	R	n2	CL049	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098

## ---(REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R837

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R837

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE313	

#### 4. Message Structure for: IE313

IE313	(CC313A)	ENTRY SUMMARY DECLARATION AMENDMENT	(E_ENS_AMD)
-------	----------	--	-------------

MESSAGE	1x	R	R115 R829 R834 R841 R842 R886
---HEADER	1x	R	
---(CONSIGNOR) TRADER	1x	D	C511
---(CONSIGNEE) TRADER	1x	D	C583
---NOTIFY PARTY	1x	D	C583
---GOODS ITEM	999x	R	
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567 R866
-----SPECIAL MENTIONS	99x	O	
------(CONSIGNOR) TRADER	1x	D	C511
------(CODE) COMMODITY	1x	D	C585
------(CONSIGNEE) TRADER	1x	D	C584
-----CONTAINERS	99x	O	
------(MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
-----PACKAGES	99x	D	C577
-----NOTIFY PARTY	1x	D	C584
---ITINERARY	99x	D	C570 R879
---(REPRESENTATIVE) TRADER	1x	O	R896
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---SEALS ID	9999x	O	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE	99x	O	R808
---(ENTRY CARRIER) TRADER	1x	O	R806



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE313	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	R	an..21		
Transport mode at border	R	n..2	CL018	C529 R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099
Nationality of means of transport crossing border	D	a2	CL008	C024
Total number of items	R	n..5		TR0811
Total number of packages	D	n..7		C582 R105
Total gross mass	O	n..11,3		TR0812
Amendment place	R	an..35		
Amendment place LNG	O	a2	CL012	TR0099
Specific Circumstance Indicator	O	a1	CL096	R834
Transport charges/ Method of Payment	O	a1	CL116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		R843 TR0518 TR0519
Place of loading	D	an..35		C574 R670 TR0670
Place of loading LNG	O	a2	CL012	TR0099
Place of unloading	D	an..35		R670 TR0670
Place of unloading LNG	O	a2	CL012	TR0099
Date and Time of amendment	R	n12		R660

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	D	an..17		C562 R840

## ---NOTIFY PARTY

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE313	

Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	O	an..17		R840
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	CL012	TR0099
Gross mass	D	n..11,3		C592
Transport charges/ Method of Payment	D	a1	CL116	C576
Commercial Reference Number	D	an..70		C567
UN dangerous goods code	O	an4	CL101	R823
Place of loading	D	an..35		C574 R670 TR0670
Place of loading LNG	O	a2	CL012	TR0099
Place of unloading	D	an..35		C579 R670 TR0670
Place of unloading LNG	O	a2	CL012	TR0099
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	CL013	R866
Document reference	R	an..35		R866
Document reference LNG	O	a2	CL012	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	CL039	R080
<b>-----((CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	O	an..17		R840
<b>-----((CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>-----((CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	D	an..17		C562 R840
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>-----((MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Nationality	D	a2	CL008	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	CL017	
Number of packages	D	n..5		C062 R021 TR0022
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		C062
Marks & numbers of packages (long) LNG	O	a2	CL012	TR0099

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE313	

**-----NOTIFY PARTY**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	O	an..17	R840

**---ITINERARY**

Country of routing code	R	a2	CL008
-------------------------	---	----	-------

**---(REPRESENTATIVE) TRADER**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

**---(LODGING SUMMARY DECLARATION) PERSON**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

**---SEALS ID**

Seals identity	R	an..20	
Seals identity LNG	O	a2	CL012 TR0099

**---(FIRST ENTRY) CUSTOMS OFFICE**

Reference number	R	an8	
Expected date and time of arrival	R	n12	R660 R666

**---(SUBSEQUENT ENTRY) CUSTOMS OFFICE**

Reference number	R	an8	
------------------	---	-----	--

**---(ENTRY CARRIER) TRADER**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	D	an..17	C502 R840

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE315	

## 4. Message Structure for: IE315

IE315	(CC315A)	ENTRY SUMMARY DECLARATION	(E ENS DAT)
MESSAGE		1x	R
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C567 R866
-----SPECIAL MENTIONS		99x	O
----- (CONSIGNOR) TRADER		1x	D C511
----- (CODE) COMMODITY		1x	D C585
----- (CONSIGNEE) TRADER		1x	D C584
-----CONTAINERS		99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C584
---ITINERARY		99x	D C570 R879
---(LODGEMENT) CUSTOMS OFFICE		1x	O R827
---(REPRESENTATIVE) TRADER		1x	O R896
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---SEALS ID		9999x	O
---(FIRST ENTRY) CUSTOMS OFFICE		1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		99x	O R808
---(ENTRY CARRIER) TRADER		1x	O R806

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE315	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Transport mode at border	R	n..2	CL018	C529 R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099
Nationality of means of transport crossing border	D	a2	CL008	C024
Total number of items	R	n..5		TR0811
Total number of packages	D	n..7		C582 R105
Total gross mass	O	n..11,3		TR0812
Declaration place	R	an..35		
Declaration place LNG	O	a2	CL012	TR0099
Specific Circumstance Indicator	O	a1	CL096	R834
Transport charges/ Method of Payment	O	a1	CL116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		R843 TR0518 TR0519
Place of loading	D	an..35		C574 R670 TR0670
Place of loading LNG	O	a2	CL012	TR0099
Place of unloading	D	an..35		R670 TR0670
Place of unloading LNG	O	a2	CL012	TR0099
Declaration date and time	R	n12		R660

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	D	an..17		C562 R840

## ---NOTIFY PARTY

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE315	

Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	O	an..17		R840
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	CL012	TR0099
Gross mass	D	n..11,3		C592
Transport charges/ Method of Payment	D	a1	CL116	C576
Commercial Reference Number	D	an..70		C567
UN dangerous goods code	O	an4	CL101	R823
Place of loading	D	an..35		C574 R670 TR0670
Place of loading LNG	O	a2	CL012	TR0099
Place of unloading	D	an..35		C579 R670 TR0670
Place of unloading LNG	O	a2	CL012	TR0099
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	CL013	R866
Document reference	R	an..35		R866
Document reference LNG	O	a2	CL012	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	CL039	R080
<b>-----((CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	O	an..17		R840
<b>-----((CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>-----((CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	D	an..17		C562 R840
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>-----((MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Nationality	D	a2	CL008	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	CL017	
Number of packages	D	n..5		C062 R021 TR0022
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		C062
Marks & numbers of packages (long) LNG	O	a2	CL012	TR0099

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE315	

**-----NOTIFY PARTY**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	O	an..17	R840

**---ITINERARY**

Country of routing code	R	a2	CL008
-------------------------	---	----	-------

**---(LODGEMENT) CUSTOMS OFFICE**

Reference number	R	an8	R828 R836
------------------	---	-----	--------------

**---(REPRESENTATIVE) TRADER**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

**---(LODGING SUMMARY DECLARATION) PERSON**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

**---SEALS ID**

Seals identity	R	an..20	
Seals identity LNG	O	a2	CL012 TR0099

**---(FIRST ENTRY) CUSTOMS OFFICE**

Reference number	R	an8	
Expected date and time of arrival	R	n12	R660 R666

**---(SUBSEQUENT ENTRY) CUSTOMS OFFICE**

Reference number	R	an8	
------------------	---	-----	--

**---(ENTRY CARRIER) TRADER**

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	D	an..17	C502 R840

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE316	

#### 4. Message Structure for: IE316

IE316	(CC316A)	ENTRY SUMMARY DECLARATION REJECTED	(E_ENS_REJ)
-------	----------	---------------------------------------	-------------

MESSAGE	1x	R	
--HEADER	1x	R	
--FUNCTIONAL ERROR	999x	D	R123



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE316	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	CL012	TR0099
Declaration rejection date and time	R	n12		R660

## ---FUNCTIONAL ERROR

Error type	R	n2	CL049	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE319	

#### 4. Message Structure for: IE319

IE319	(CD319A)	TRANSMISSION TO SUBSEQUENT OFFICE OF ENTRY	(C_ENS_SUB)
MESSAGE		1x	R C519 R131 R132 R133 R148 R221
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D R501
---(CONSIGNEE) TRADER		1x	D R501
---NOTIFY PARTY		1x	D R501
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C567 R866
-----SPECIAL MENTIONS		99x	O
------(CONSIGNOR) TRADER		1x	D R501
------(CODE) COMMODITY		1x	D C585
------(CONSIGNEE) TRADER		1x	D C584
-----CONTAINERS		99x	O
------(MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C584
---ITINERARY		99x	D C570 R879
---RISK ANALYSIS		999x	O R816
---(LODGEMENT) CUSTOMS OFFICE		1x	O R827
---(REPRESENTATIVE) TRADER		1x	O R896
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---SEALS ID		9999x	O
---(FIRST ENTRY) CUSTOMS OFFICE		1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		99x	O R808
---(ENTRY CARRIER) TRADER		1x	O R806

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE319	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Transport mode at border	R	n..2	CL018	R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	CL012	
Nationality of means of transport crossing border	D	a2	CL008	C024
Total number of items	R	n..5		
Total number of packages	D	n..7		C582
Total gross mass	O	n..11,3		
Declaration place	R	an..35		
Declaration place LNG	O	a2	CL012	
Specific Circumstance Indicator	O	a1	CL096	R834
Transport charges/ Method of Payment	O	a1	CL116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		R843 TR0518 TR0519
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	CL012	
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	CL012	
Information type	R	n..2	CL109	R133
Amendment acceptance date and time	O	n12		R660 R662
Declaration registration date and time	R	n12		R660 R661
Declaration Submitted Date and Time	R	n12		R660
Declaration date and time	R	n12		R660
Document/reference number Communicated	R	n1	CL027	

## ---(CONSIGNOR) TRADER

Name	O	an..35		R501
Street and number	O	an..35		R501
Postal code	O	an..9		R501
City	O	an..35		R501
Country code	O	a2	CL008	R501
NAD LNG	O	a2	CL012	R501
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	O	an..35		R501
Street and number	O	an..35		R501
Postal code	O	an..9		R501
City	O	an..35		R501
Country code	O	a2	CL008	R501
NAD LNG	O	a2	CL012	R501
TIN	D	an..17		C562 R840

## ---NOTIFY PARTY

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE319	

Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2 CL008	R501
NAD LNG	O	a2 CL012	R501
TIN	O	an..17	R840
<b>---GOODS ITEM</b>			
Item number	R	n..5	R005
Goods description	O	an..280	
Goods description LNG	O	a2 CL012	
Gross mass	D	n..11,3	C592
Transport charges/ Method of Payment	D	a1 CL116	C576
Commercial Reference Number	D	an..70	C567
UN dangerous goods code	O	an4 CL101	R823
Place of loading	D	an..35	C574 R670
Place of loading LNG	O	a2 CL012	
Place of unloading	D	an..35	C579 R670
Place of unloading LNG	O	a2 CL012	
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>			
Document type	R	an..4 CL013	R866
Document reference	R	an..35	R866
Document reference LNG	O	a2 CL012	
<b>-----SPECIAL MENTIONS</b>			
Additional information coded	R	an..5 CL039	R080
<b>-----((CONSIGNOR) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2 CL008	R501
NAD LNG	O	a2 CL012	R501
TIN	O	an..17	R840
<b>-----((CODE) COMMODITY</b>			
Combined Nomenclature	R	an..8	R881
<b>-----((CONSIGNEE) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2 CL008	R501
NAD LNG	O	a2 CL012	R501
TIN	D	an..17	C562 R840
<b>-----CONTAINERS</b>			
Container number	R	an..17	
<b>-----((MEANS OF TRANSPORT AT BORDER) IDENTITY</b>			
Nationality	D	a2 CL008	C020
Identity of means of transport crossing border	R	an..27	C514
Identity of means of transport crossing border LNG	O	a2 CL012	
<b>-----PACKAGES</b>			
Kind of packages	R	an..3 CL017	
Number of packages	D	n..5	C062 R021
Number of pieces	D	n..5	C062

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE319	

Marks & numbers of packages (long)	D	an..140	C062
Marks & numbers of packages (long) LNG	O	a2	CL012
<b>-----NOTIFY PARTY</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	O	an..17	R840
<b>---ITINERARY</b>			
Country of routing code	R	a2	CL008
<b>---RISK ANALYSIS</b>			
Item Number involved	O	n..5	R824 R875
Risk Analysis result code	R	an..5	TR9175
Risk Analysis text	O	an..350	
Risk Analysis LNG	O	a2	CL012
<b>---(LODGEMENT) CUSTOMS OFFICE</b>			
Reference number	R	an8	R828 R836
<b>---(REPRESENTATIVE) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	R	an..17	R837
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	R	an..17	R837
<b>---SEALS ID</b>			
Seals identity	R	an..20	
Seals identity LNG	O	a2	CL012
<b>---(FIRST ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
Expected date and time of arrival	R	n12	R660 R666
<b>---(SUBSEQUENT ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(ENTRY CARRIER) TRADER</b>			
Name	O	an..35	R501
Street and number	O	an..35	R501
Postal code	O	an..9	R501
City	O	an..35	R501
Country code	O	a2	CL008 R501
NAD LNG	O	a2	CL012 R501
TIN	D	an..17	C502 R840

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE323	

#### 4. Message Structure for: IE323

IE323	(CC323A)	DIVERSION REQUEST IMPORT	(E_DIV_REQ)
-------	----------	--------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	D	C522
---(REQUESTING DIVERSION) TRADER	1x	R	
---IMPORT OPERATION	9999x	D	C520
-----GOODS ITEM	999x	D	C521

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE323	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	R	n..2	CL018	R826
Country code of Office of first Entry declared	D	a2	CL010	C522 R899
Information type	R	n..2	CL109	
Diversion reference number	R	an..22		R891
Identification of the means of transport	D	an..35		C515 C516 R031
Expected date of arrival	D	n8		C523 R030 R666

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(REQUESTING DIVERSION) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Country	D	a2	CL008	C501
Postal code	D	an..9		C501
City	D	an..35		C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R837

## ---IMPORT OPERATION

Document/reference number	R	an..21		
---------------------------	---	--------	--	--

## -----GOODS ITEM

Item number	R	n..5		R897
-------------	---	------	--	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE324	

#### 4. Message Structure for: IE324

IE324	(CC324A)	DIVERSION REQUEST REJECTED	(E_DIV_REJ)
-------	----------	----------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---FUNCTIONAL ERROR	999x	D	R123



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE324	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Diversion reference number	R	an..22		R891
Rejection date and time	R	n12		R660
Rejection Reason	O	an..350		
Rejection Reason LNG	O	a2	CL012	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	CL049	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE325	

#### 4. Message Structure for: IE325

IE325	(CC325A)	DIVERSION REQUEST ACKNOWLEDGEMENT	(E_DIV_ACK)
-------	----------	--------------------------------------	-------------

MESSAGE	1x	R
--HEADER	1x	R
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R
---(REQUESTING DIVERSION) TRADER	1x	R

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE325	

**MESSAGE**

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

**---HEADER**

Diversion reference number	R	an..22		R891
Registration date and time	R	n12		R660 R661

**---(FIRST ENTRY) CUSTOMS OFFICE**

Reference number	R	an8		
------------------	---	-----	--	--

**---(REQUESTING DIVERSION) TRADER**

Name	D	an..35		C501
Street and number	D	an..35		C501
Country	D	a2	CL008	C501
Postal code	D	an..9		C501
City	D	an..35		C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R837

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE328	

#### 4. Message Structure for: IE328

IE328	(CC328A)	ENTRY SUMMARY DECLARATION ACKNOWLEDGEMENT	(E_ENS_ACK)
-------	----------	--	-------------

MESSAGE	1x	R	
--HEADER	1x	R	
--GOODS ITEM	999x	O	R134
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
--(LODGEMENT) CUSTOMS OFFICE	1x	O	
--(LODGING SUMMARY DECLARATION) PERSON	1x	R	
--(FIRST ENTRY) CUSTOMS OFFICE	1x	R	
--(ENTRY CARRIER) TRADER	1x	O	R134

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE328	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Document/reference number	R	an..21		
Transport mode at border	O	n..2	CL018	R134 R826
Nationality	D	a2	CL008	C024 R134
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099
Commercial Reference Number	O	an..70		R134
Conveyance reference number	D	an..35		R134 R843 TR0518 TR0519
Declaration registration date and time	R	n12		R660 R661

## ---GOODS ITEM

Item number	R	n..5		R005 R007
Commercial Reference Number	O	an..70		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	CL013	R136
Document reference	R	an..35		
Document reference LNG	O	a2	CL012	TR0099

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	CL008	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099

## ---((LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---((LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R837

## ---((FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	O	n12		R134 R660 R666

## ---((ENTRY CARRIER) TRADER

Name	D	an..35		C501
------	---	--------	--	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE328	

Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE351	

#### 4. Message Structure for: IE351

IE351	(CC351A)	ADVANCED INTERVENTION NOTIFICATION	(E_AIV_NOT)
-------	----------	------------------------------------	-------------

MESSAGE	1x	R	
--HEADER	1x	R	
---GOODS ITEM	999x	D	C571
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	R818
-----MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	O	R818
---(LODGEMENT) CUSTOMS OFFICE	1x	O	R833
---(REPRESENTATIVE) TRADER	1x	O	R895
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	
---(ENTRY CARRIER) TRADER	1x	O	R895
---CUSTOMS INTERVENTION	999x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE351	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Document/reference number	R	an..21		
Transport mode at border	O	n..2	CL018	R134 R826
Nationality	D	a2	CL008	C024 R134
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Total number of items	R	n..5		R811
Commercial Reference Number	O	an..70		R134
Conveyance reference number	D	an..35		R134 R843 TR0518 TR0519
Notification date and time	R	n12		R660
Declaration registration date and time	R	n12		R660 R661
Declaration Submitted Date and Time	R	n12		R660

## ---GOODS ITEM

Item number	R	n..5		R810
Commercial Reference Number	O	an..70		R134

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	CL013	R136 R809
Document reference	R	an..35		
Document reference LNG	O	a2	CL012	TR0099

## -----CONTAINERS

Container number	R	an..17		R809
------------------	---	--------	--	------

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	O	a2	CL008	
Identity of means of transport crossing border	R	an..27		C514 R809
Identity of means of transport crossing border LNG	O	a2	CL012	TR0099

## ---((LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---((REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	CL008	C501
NAD LNG	O	a2	CL012	TR0099
TIN	R	an..17		R835

## ---((LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE351	

City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

#### ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
Expected date and time of arrival	O	n12	R134 R660 R666

#### ---(ENTRY CARRIER) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	CL008 C501
NAD LNG	O	a2	CL012 TR0099
TIN	R	an..17	R837

#### ---CUSTOMS INTERVENTION

Item Number concerned	O	n..5	R888
Customs Intervention code	R	an..4	CL108
Customs Intervention text	O	an..350	
Customs Intervention LNG	O	a2	CL012 TR0099

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE411	

#### 4. Message Structure for: IE411

IE411	(CD411C)	SENDING OF STATISTICS DATA	(C_STA_SND)
-------	----------	----------------------------	-------------

MESSAGE	1x	R
---SENDING COUNTRY	1x	R
-----SYSTEM APPLICABILITY	99x	R
-----STATISTICAL CHARACTERISTICS	999x	R
-----SERIES ELEMENTS	999x	R

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE411	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---SENDING COUNTRY

Country code	R	a2	CL008	
Year	R	n4		
Month	R	an2	CL026	

## -----SYSTEM APPLICABILITY

System code	R	n..2	CL136	TR9190
-------------	---	------	-------	--------

## -----STATISTICAL CHARACTERISTICS

Statistics type	R	an4	CL057	
-----------------	---	-----	-------	--

## -----SERIES ELEMENTS

Other country	O	a2	CL008	
Counter	R	n..9		R021

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE412	

#### 4. Message Structure for: IE412

IE412	(CD412C)	STATISTICS GENERATED SENT TO NATIONAL DOMAIN	(C_STA_GEN)
-------	----------	--	-------------

MESSAGE	1x	R
---STATISTICAL CONSOLIDATION	1x	R
-----STATISTICAL CHARACTERISTICS	999x	R
-----SERIES ELEMENTS	999x	R

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE412	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---STATISTICAL CONSOLIDATION

Year	R	n4		
Month	R	an2	CL026	
System code	R	n..2	CL136	TR9190

## -----STATISTICAL CHARACTERISTICS

Statistics type	R	an4	CL057	
-----------------	---	-----	-------	--

## -----SERIES ELEMENTS

Sending country code	O	a2	CL008	
Other country code	O	a2	CL008	
Counter	R	n..9		R021

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE906	

#### 4. Message Structure for: IE906

IE906	(CD906B)	FUNCTIONAL NACK	(C_FUN_NCK)
-------	----------	-----------------	-------------

MESSAGE	1x	R	
---HEADER	1x	D	TR0104
---FUNCTIONAL ERROR	999x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE906	

**MESSAGE**

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

**---HEADER**

Document/reference number	R	an..21		TR9250
---------------------------	---	--------	--	--------

**---FUNCTIONAL ERROR**

Error type	R	n2	CL049	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		TR9250

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE912	

#### 4. Message Structure for: IE912

IE912	(CD912B)	AVAILABILITY MATRIX	(C_AVL_MTX)
-------	----------	---------------------	-------------

MESSAGE	1x	R
---COUNTRY	1x	R
-----UNAVAILABILITY MATRIX	1x	R
-----SYSTEM UNAVAILABILITY	99x	R



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE912	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---COUNTRY

Country code	R	a2	CL008	
--------------	---	----	-------	--

## -----UNAVAILABILITY MATRIX

Time from	R	n12		R660 TR0105 TR0107 TR9020
Time to	R	n12		R660 TR0105 TR9020

## -----SYSTEM UNAVAILABILITY

Business functionality	R	a1	CL068	
Downtime from	R	n12		R660 TR0105 TR0703 TR9020
System unavailability type	R	a1	CL079	TR9025
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	CL012	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE913	

#### 4. Message Structure for: IE913

IE913	(CD913B)	UPLOAD PARSING RESPONSE	(C_UPL_RSP)
-------	----------	-------------------------	-------------

MESSAGE	1x	R
--UPL RESPONSE	1x	R
--UPL ERROR	9999x	O

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE913	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---UPL RESPONSE

Original message identification	R	an..14		TR9006
Status	R	a..8		TR9007
Description	O	an..210		

## ---UPL ERROR

Action identification	R	an..20		TR9009
Attribute path	O	an..140		TR9010
Code	R	an..8		
Description	O	an..210		

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE914	

#### 4. Message Structure for: IE914

IE914	(CD914B)	COL REQUEST	(C_COL_REQ)
-------	----------	-------------	-------------

MESSAGE	1x	R
---HEADER	1x	O

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE914	

**MESSAGE**

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

**---HEADER**

Period from date	O	n8		TR9080 TR9099 TR9115
Period to date	O	n8		TR9080 TR9099 TR9115
Extraction	O	n1	CL027	TR9099 TR9110

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE916	

#### 4. Message Structure for: IE916

IE916	(CD916B)	COMMON RD REQUEST	(C_REF_REQ)
-------	----------	-------------------	-------------

MESSAGE	1x	R
---HEADER	1x	O

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE916	

**MESSAGE**

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

**---HEADER**

Period from date	O	n8		TR9080 TR9099 TR9115
Period to date	O	n8		TR9080 TR9099 TR9115
Extraction	O	n1	CL027	TR9099 TR9110

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE917	

#### 4. Message Structure for: IE917

IE917	(CD917B)	XML NACK	(C_XML_NCK)
-------	----------	----------	-------------

MESSAGE	1x	R	
---HEADER	1x	D	TR1007
-----ENTRY KEY	1x	D	TR9205
---XML ERROR	999x	R	



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE917	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	D	an..21		TR9205 TR9250
---------------------------	---	--------	--	------------------

## -----ENTRY KEY

Expected date of arrival	O	n8		R030
Transport mode at border	R	n..2	CL018	
Identification of the means of transport	O	an..35		TR9250

## ---XML ERROR

Error Location	O	an..350		
Error Line Number	R	n..9		R021
Error Column Number	R	n..9		R021
Error Reason	R	an..350		
Original attribute value	O	an..350		TR9250
Error Code	R	n2	CL030	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE931	

#### 4. Message Structure for: IE931

IE931	(CD931C)	COL DATA	(C_COL_DAT)
-------	----------	----------	-------------

MESSAGE	1x	R	
---CUSTOMS OFFICE INFORMATION	99999x	O	
-----ACTION	1x	R	
------(DEDICATED) TRADER	99x	O	
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O	
-----CUSTOMS OFFICE LSD	9x	R	
-----CUSTOMS OFFICE TIMETABLE	9x	D	TR0030
-----CUSTOMS OFFICE TIMETABLE LINE	99x	R	
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R	
--COUNTRY/REGION	9999x	O	
-----ACTION	1x	R	
-----COUNTRY/REGION LSD	9x	R	
-----COUNTRY/REGION HOLIDAYS	99x	O	
-----COUNTRY/REGION HOLIDAYS LSD	9x	R	
--COUNTRY HOLIDAYS	9999x	O	
-----ACTION	1x	R	
-----COUNTRY HOLIDAYS DATA	99x	R	
-----COUNTRY HOLIDAYS DATA LSD	9x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE931	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8	CL141	
Reference number main office	O	an8		R489
Reference number higher authority	O	an8		R490
Reference number take-over	D	an8		R495 TR9201
Reference number Competent Authority of Enquiry	O	an8		TR9160
Reference number Competent Authority of Recovery	O	an8		TR9170
Country code	R	a2	CL070	
UN/LOCODE id	O	a3		R460
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		C410
Nearest office LNG	O	a2	CL012	
Postal code	R	an..9		
Phone number	O	an..35		R500
Fax number	O	an..35		R500
Telex number	O	an..35		R500
E-mail address	O	an..70		R500
Geo info code	O	an..6	CL015	
Trader dedicated	R	n1	CL027	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	CL012	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	CL067	R486
---------------------	---	-------	-------	------

## -----CUSTOMS OFFICE LSD

Language code	R	a2	CL012	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	CL012	
Street and number	R	an..35		
Street and number LNG	O	a2	CL012	
City	R	an..35		R422
City LNG	O	a2	CL012	
Prefix-suffix level	O	an1	CL053	
Prefix-suffix flag	R	n1	CL027	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	CL012	
Space to add	R	n1	CL027	

## -----CUSTOMS OFFICE TIMETABLE

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE931	

Season code	R	n1	R425
Season name	O	an..35	
Season name LNG	O	a2	CL012
Season start date	R	n8	TR0403
Season end date	R	n8	TR0403

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	CL105	R430
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	CL105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	CL056
Traffic type	R	an..3	CL020

#### ---COUNTRY/REGION

Country code	R	a2	CL070
Country/region code	R	an..3	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY/REGION LSD

Language code	R	a2	CL012
Country/region name	R	an..35	
Country/region name LNG	O	a2	CL012

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	CL027	R232
Day	R	an2		
Month	R	an2	CL026	
Year	D	n4		C295

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	CL012
Public holiday name	R	an..35	
Public holiday name LNG	O	a2	CL012

#### ---COUNTRY HOLIDAYS

Country code	R	a2	CL070
--------------	---	----	-------

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY HOLIDAYS DATA

Variable holiday date	R	n1	CL027	R232
Day	R	an2		
Month	R	an2	CL026	
Year	D	n4		C295

#### -----COUNTRY HOLIDAYS DATA LSD

Language code	R	a2	CL012
Public holiday name	R	an..35	
Public holiday name LNG	O	a2	CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

## 4. Message Structure for: IE932

IE932	(CD932C)	COMMON RD DATA	(C_REF_DAT)
MESSAGE			1x R
--RESULTS OF CONTROL			99999x O TR1012
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--AMENDMENT REJECTION MOTIVATION			99999x O TR1015
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--AAR/AER REJECTION REASON			99999x O TR1012
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--ATR REJECTION REASON			99999x O TR1002
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--CONTROL RESULT CODE			99999x O TR1012
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--COUNTRY			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--COUNTRY REGIME			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--CUSTOMS OFFICE GEO INFO			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--CURRENCY CODE			99999x O TR1012
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--DISCREPANCIES SOLVED NOTIFICATION			99999x O TR1002
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--DIVERSION REJECTION REASON			99999x O TR1012
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--DOCUMENT TYPE			99999x O TR1015
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--GUARANTEE TYPE			99999x O TR1002
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--GUARANTEE MONITORING			99999x O TR1002
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--INVALID GUARANTEE REASON			99999x O TR1002
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--LANGUAGE CODE			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--PACKAGING CODE			99999x O TR1015
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--ROLE			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

---SENSITIVE GOODS CODE	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIAL MENTION CODE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---STATISTICS TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---TRAFFIC TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---CUSTOMS OPERATION STATE TYPE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UNIT OF MEASURE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UN/LOCODE	99999x	O	
-----ACTION	1x	R	
---TRANSPORT MODE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---QUERY ON GUARANTEE TYPE	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIFIC NOTES CODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---COMPLEMENTARY CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EXPORT QUERY REASON CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---INCOTERM CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---NATURE OF TRANSACTION CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PROCEDURE REQUESTED	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PREVIOUS PROCEDURE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REPRESENTATIVE STATUS CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---RISK ANALYSIS RESULT CODE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIFIC CIRCUMSTANCE INDICATOR	99999x	O	TR1015
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---SUMMARY DECLARATION REJECTION REASON CODE	99999x	O	TR1013
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

---TYPE OF TAX	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---WAREHOUSE TYPE	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UN DANGEROUS GOODS CODE	99999x	O	TR1015
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---COMMUNITY NATIONAL PROCEDURE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PREVIOUS DOCUMENT CATEGORY	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---METHOD OF PAYMENT	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---TRANSPORT CHARGES METHOD OF PAYMENT	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---DECLARATION TYPE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---DECLARATION TYPE (BOX 1.2)	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---INFORMATION	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---PREVIOUS DOCUMENT TYPE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---REQUESTED INFORMATION	99999x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ITEM NUMBER REJECTION REASON CODE	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---CUSTOMS INTERVENTION	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---INFORMATION TYPE	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---RESPONSE CODE	99999x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EORI-AEO VAT MS COUNTRY CODE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ECONOMIC SECTOR OF ACTIVITY	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---TYPE OF PERSON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---AEO CERTIFICATE TYPE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----ACTION	1x	R	
---EORI-AEO ERROR	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CRITERIA	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CUSTOMS PROCEDURE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REJECTION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---SUSPENSION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REVOCATION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---INITIATOR	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ACTIVITY	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PROCESS	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---TIMER	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---STATE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EXTENSION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CRITERION RESULT	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REASSESSMENT REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---RESULTS OF CONTROL

Control indicator	R	an2	CL041	
-------------------	---	-----	-------	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AMENDMENT REJECTION MOTIVATION

Amendment rejection motivation code	R	n1	CL045	
-------------------------------------	---	----	-------	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AAR/AER REJECTION REASON

AAR/AER rejection reason code	R	n..2	CL043	
-------------------------------	---	------	-------	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

## -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---ATR REJECTION REASON

ATR rejection reason code	R	n..2	CL044	
---------------------------	---	------	-------	--

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---CONTROL RESULT CODE

Control result code	R	an2	CL047	
---------------------	---	-----	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### ---COUNTRY

Country code	R	a2	CL008	
TCC entry date	R	n8		
NCTS entry date	R	n8		
Geo-nomenclature code	O	n3		
Country regime code	R	an3	CL011	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

#### ---COUNTRY REGIME

Country regime code	R	an3	CL011	
---------------------	---	-----	-------	--

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---CUSTOMS OFFICE GEO INFO**

Geo info code	R	an..6	CL015
---------------	---	-------	-------

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---CURRENCY CODE**

Currency	R	an3	CL048
Rate value	R	n..8,6	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---DISCREPANCIES SOLVED NOTIFICATION**

Discrepancies solved notification code	R	an..2	CL069
--	---	-------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---DIVERSION REJECTION REASON**

Diversion rejection reason code	R	n..2	CL046
---------------------------------	---	------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**-----ACTION**

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---DOCUMENT TYPE</b>				
Document type	R	an..4	CL013	
Transport document	R	n1	CL027	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>---GUARANTEE TYPE</b>				
Guarantee type	R	an1	CL051	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---GUARANTEE MONITORING</b>				
Guarantee monitoring code	R	n1	CL050	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---INVALID GUARANTEE REASON</b>				
Invalid guarantee reason code	R	an..3	CL052	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---LANGUAGE CODE</b>				
Language code	R	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---PACKAGING CODE</b>				
Kind of packages	R	an..3	CL017	R456
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---ROLE</b>				
Role	R	an..3	CL056	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---SENSITIVE GOODS CODE</b>				
Commodity code (taric code)	R	an..6	CL062	R445

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Sensitive goods code	O	n..2	CL064	R445
Reference quantity	O	n..6		
Unit of measure code	O	an..3	CL059	
EEC territory limitation	R	n1	CL027	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---SPECIAL MENTION CODE</b>				
Additional information coded	R	an..5	CL039	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---STATISTICS TYPE</b>				
Statistics type	R	an..4	CL057	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---TRAFFIC TYPE</b>				
Traffic type	R	an..3	CL020	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---CUSTOMS OPERATION STATE TYPE**

Customs Operation State Types	R	an..3	CL058
-------------------------------	---	-------	-------

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---UNIT OF MEASURE**

Unit of measure code	R	an..3	CL059
----------------------	---	-------	-------

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---UN/LOCODE**

Country code	R	a2	CL008
UN/LOCODE id	R	a3	R460
UN/LOCODE name	R	an..29	R422

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---TRANSPORT MODE**

Transport mode	R	n..2	CL018
----------------	---	------	-------

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**---QUERY ON GUARANTEE TYPE**

Query identifier	R	n1	CL054	
------------------	---	----	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**---SPECIFIC NOTES CODE**

Specific notes code	R	an..6	CL067	
---------------------	---	-------	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

**---COMPLEMENTARY CODE**

Complementary code	R	n1	CL086	
--------------------	---	----	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---EXPORT QUERY REASON CODE**

Export_Query Reason Code	R	an..3	CL089	
--------------------------	---	-------	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
-----------	---	----	-------	------



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---INCOTERM CODE</b>			
Incoterm Code	R	a3	CL090
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---NATURE OF TRANSACTION CODE</b>			
Nature of transaction code	R	n..2	CL091
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---PROCEDURE REQUESTED</b>			
Procedure requested	R	an2	CL092
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---PREVIOUS PROCEDURE</b>			
Previous Procedure	R	an2	CL093
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---REPRESENTATIVE STATUS CODE**

Representative status code	R	n1	CL094	
----------------------------	---	----	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---RISK ANALYSIS RESULT CODE**

Risk Analysis result code	R	an1	CL095	
---------------------------	---	-----	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**---SPECIFIC CIRCUMSTANCE INDICATOR**

Specific Circumstance Indicator	R	a1	CL096	
---------------------------------	---	----	-------	--

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---SUMMARY DECLARATION REJECTION REASON CODE**

Summary Declaration rejection reason code	R	n..2	CL097	
---	---	------	-------	--

**-----ACTION**

Operation	R	a1	CL024	R410
-----------	---	----	-------	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>---TYPE OF TAX</b>			
Type of tax	R	an3	CL098
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---WAREHOUSE TYPE</b>			
Warehouse type	R	a1	CL099
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012
<b>---UN DANGEROUS GOODS CODE</b>			
UN dangerous goods code	R	an4	CL101
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---COMMUNITY NATIONAL PROCEDURE</b>			
Community / National Procedure	R	an3	CL102

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---PREVIOUS DOCUMENT CATEGORY

Previous Document Category	R	a1	CL103
----------------------------	---	----	-------

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---METHOD OF PAYMENT

Method of payment	R	a1	CL104
-------------------	---	----	-------

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

#### ---TRANSPORT CHARGES METHOD OF PAYMENT

Transport charges/ Method of Payment	R	a1	CL116
--------------------------------------	---	----	-------

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

### ---DECLARATION TYPE

Type of declaration R an..9 CL031

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

Description R an..140

Language specific data LNG O a2 CL012

### ---DECLARATION TYPE (BOX 1.2)

Type of declaration (Box 1.2) R a1 CL087

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

Description R an..140

Language specific data LNG O a2 CL012

### ---INFORMATION

Information Code R n2 CL119

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

Description R an..140

Language specific data LNG O a2 CL012

### ---PREVIOUS DOCUMENT TYPE

Previous document type R an..6 CL014

### -----ACTION

Operation R a1 CL024 R410

Validity date D n8 C300  
R410

Modification subtype D n1 C300  
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

### -----LANGUAGE SPECIFIC DATA

Language code R a2 CL012

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---REQUESTED INFORMATION</b>				
Requested Information Code	R	n1	CL118	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ITEM NUMBER REJECTION REASON CODE</b>				
Item number rejection reason code	R	n..2	CL106	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---CUSTOMS INTERVENTION</b>				
Customs Intervention code	R	an..4	CL108	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..140		
Language specific data LNG	O	a2	CL012	
<b>---INFORMATION TYPE</b>				
Information type	R	n..2	CL109	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**---RESPONSE CODE**

Response Code	R	n..2	CL029
---------------	---	------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..140	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---EORI-AEO VAT MS COUNTRY CODE**

VAT MS country code	R	a2	CL113
---------------------	---	----	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---ECONOMIC SECTOR OF ACTIVITY**

Economic sector of activity code	R	an..4	CL114
----------------------------------	---	-------	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

**---TYPE OF PERSON**

Type of person code	R	n1	CL115
---------------------	---	----	-------

**-----LANGUAGE SPECIFIC DATA**

Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012

**-----ACTION**

Operation	R	a1	CL024	R410
-----------	---	----	-------	------

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---AEO CERTIFICATE TYPE</b>				
AEO certificate type code	R	an4	CL120	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---EORI-AEO ERROR</b>				
EORI-AEO Error code	R	an..50	CL121	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---CRITERIA</b>				
Criteria code	R	an..3	CL122	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---CUSTOMS PROCEDURE</b>				
Customs procedure code	R	an..5	CL123	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---REJECTION REASON

Rejection reason code	R	an..2	CL124	
-----------------------	---	-------	-------	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---SUSPENSION REASON

Suspension reason code	R	an1	CL125	
Light client excluded	R	n1	CL027	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---REVOCATION REASON

Revocation reason code	R	an1	CL126	
Light client excluded	R	n1	CL027	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	

#### -----ACTION

Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---INITIATOR

Initiator code	R	an1	CL127	
----------------	---	-----	-------	--

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Light client excluded	R	n1	CL027	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ACTIVITY</b>				
Activity code	R	an1	CL128	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---PROCESS</b>				
Process code	R	an1	CL129	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---TIMER</b>				
Timer code	R	an1	CL130	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	CL012	
Description	R	an..350		
Language specific data LNG	O	a2	CL012	
<b>-----ACTION</b>				
Operation	R	a1	CL024	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Action identification	R	an..20	TR9001
<b>---STATE</b>			
State code	R	an1	CL131
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---EXTENSION REASON</b>			
Extension reason code	R	an2	CL132
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---CRITERION RESULT</b>			
Criterion result code	R	n1	CL133
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001
<b>---REASSESSMENT REASON</b>			
Reassessment reason code	R	n..2	CL134
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	CL012
Description	R	an..350	
Language specific data LNG	O	a2	CL012
<b>-----ACTION</b>			
Operation	R	a1	CL024 R410
Validity date	D	n8	C300 R410
Modification subtype	D	n1	C300 R410

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE971	

#### 4. Message Structure for: IE971

IE971	(CD971B)	FULL UNAVAILABILITY SCHEDULE	(C_UNA_DAT)
-------	----------	------------------------------	-------------

MESSAGE	1x	R	
---COUNTRY	99x	O	
-----ACTION	9x	R	
-----SYSTEM UNAVAILABILITY	99x	R	TR0704

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE971	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	CL027	TR9085
Message identification	R	an..14		
Message type	R	an..6	CL060	
Correlation identifier	D	an..14		TR9181

## ---COUNTRY

Country code	R	a2	CL008	
--------------	---	----	-------	--

## -----ACTION

Operation	R	a1	CL024	
-----------	---	----	-------	--

## -----SYSTEM UNAVAILABILITY

Business functionality	R	a1	CL068	
Downtime from	R	n12		R660 TR0703 TR9020
System unavailability type	R	a1	CL079	TR0702
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	CL012	

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

## 5. Rules/Conditions index

- C017 IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8'  
THEN the attribute = 'R'  
IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4'  
THEN the attribute can not be used  
ELSE the attribute = 'O'
- C019 IF 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present or if 'IMPORT OPERATION.Transport mode at border (box 25)' = '4'  
THEN the data group can not be used  
ELSE  
IF 'IMPORT OPERATION.Specific circumstance indicator' is = 'A'  
THEN the data group = 'O'  
ELSE the data group = 'R'
- C020 IF 'IMPORT OPERATION. 'Transport mode at border (box 25)' = '2', '5', '7' or '9'  
THEN 'Nationality crossing border (ex. box 21)' = 'O'  
ELSE 'Nationality crossing border (ex. box 21)' = 'R'
- C024 IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present  
THEN the attribute = 'R'  
ELSE the attribute can not be used
- C062 IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO')  
THEN  
'Number of packages' (box 31) can not be used  
'Number of Pieces' (box 31) can not be used  
'Marks & numbers of Packages (Box 31)' = 'O'  
ELSE  
IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')  
THEN  
'Number of packages' can not be used  
'Number of Pieces' (box 31) = 'R'  
'Marks & numbers of Packages (Box 31)' = 'O'  
ELSE  
'Number of packages' (box 31) = 'R'  
'Number of Pieces' (box 31) can not be used  
IF the attribute 'Specific circumstance indicator' is not used  
THEN  
the attribute 'Marks & numbers of Packages (Box 31)' = 'R'  
ELSE  
the attribute 'Marks & numbers of Packages (Box 31)' = 'O'
- C295 If 'Variable Holiday Date' = '1'  
THEN 'Year'='R'  
ELSE 'Year' can not be used (it will be automatically updated on 01/01 each year to be the current year)
- C300 IF "Operation" = "C" OR "U"  
THEN All attributes marked with this condition = "R"  
ELSE All attributes marked with this condition = "O"
- C305 IF 'AAR-/AER-/Summary Declaration rejection reason code/Pre-Arrival item rejection reason code' = '4' (other)  
THEN 'AAR/AER/Summary Declaration rejection reason' = 'R'  
ELSE 'AAR/AER/Summary Declaration rejection reason' = 'O'
- C310 IF 'Amendment rejection motivation code' = '?' (other) \*  
THEN 'Amendment rejection motivation text' = 'R'  
ELSE 'Amendment rejection motivation text' = 'O'  
\* (To be defined at national level).
- C400 IF 'Type' = 'S' (Scheduled)  
THEN 'Downtime TO' = 'R'  
ELSE 'Downtime TO' = 'O'
- C410 IF <<'Geo-info code' contains "/" (I.e. the Customs Office is situated at the frontier)>> THEN  
Attribute 'Nearest office'="R"  
ELSE  
Attribute 'Nearest office' can not be used.
- C501 IF the attribute 'TIN' is present in the data group  
THEN this attribute cannot be used  
ELSE this attribute = 'R'
- C502 IF 'Transport mode at border' = '1', '4' or '8'  
THEN the attribute = 'R'  
ELSE the attribute = 'O'
- C511 IF only one Trader Consignor is declared for all goods items  
THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used  
ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used

<b>DDNIA for ICS P1. Version 13.00</b>	<b>Aligned to DDNIA RFC-LIST v0.29</b>
<b>REF:CUST-DEV3-SC09-DDNIA_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

- C513 IF 'Specific circumstance indicator = 'A'  
THEN the attribute 'Transport mode at the border' (box 25)' 7' and '9' can not be used,  
  
IF 'Specific circumstance indicator = 'C'  
THEN the attribute 'Transport mode at the border' (box 25)' 1', '2', '4', '7', '8' and '9'  
can not be used  
IF 'Specific circumstance indicator = 'D'  
THEN the attribute 'Transport mode at the border' (box 25)' 1', '3', '4', '7', '8' and '9'  
can not be used  
ELSE the attribute 'Transport mode at the border' (box 25)' = 'O' (no check)  
(It should be noted that the last ELSE is to cover all the cases where the '  
Specific circumstance indicator' is different from 'A', 'C' or 'D' (i.e. blank or 'E').)
- C514 IF the attribute is present  
IF 'Transport mode at border' = '1' or '8'  
THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification  
number (format n7 - leading '0' allowed) or of the  
European Vessel Identification Number (ENI) (format n8 - leading '0' allowed)  
IF 'Transport mode at border' = '2'  
THEN the attribute consists of the wagon number and has no format restrictions  
IF 'Transport mode at border' = '3'  
THEN the attribute consists of the registration plate number and has no format restrictions  
ELSE no format restrictions
- C515 IF 'Transport mode at border' = '1', '4' or '8'  
THEN the attribute = 'O'  
ELSE the attribute can not be used
- C516 IF the attribute is present  
IF 'Transport mode at border' = '1' or '8'  
THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification  
number (format n7 - leading '0' allowed) or of the European Vessel Identification Number (ENI) (format n8 -  
leading '0' allowed)  
IF 'Transport mode at border' = '4'  
THEN the attribute consists of the (IATA/ICAO) flight number and has format an..8:  
- an..3: mandatory prefix identifying the airline/operator  
- n..4: mandatory number of the flight  
- a1: optional suffix
- C519 IIF 'Information type' is '1'  
THEN the data group 'Risk Analysis' is = 'R'  
ELSE the data group 'Risk Analysis' is = 'O'
- C520 IF the attribute 'DIVERSION REQUEST.Identification of the means of transport' (IE323) or 'DECLARATION  
REQUEST.Identification of the means of transport' (IE302) is used  
THEN the data group can not be used  
ELSE the data group is = 'R'
- C521 IF the attribute 'IMPORT OPERATION.MRN' is used  
THEN the data group is 'O'  
ELSE the data group can not be used
- C522 IF the data group 'CUSTOMS OFFICE of first Entry' is used  
THEN the attribute 'Country code of Office of first Entry declared' can not be used  
ELSE the attribute 'Country code of Office of first Entry declared' is = 'R'
- C523 IF the attribute 'DIVERSION REQUEST.Identification of the means of transport' (IE323) or 'DECLARATION  
REQUEST.Identification of the means of transport' (IE302) is used  
THEN the attribute is = 'R'  
ELSE the attribute is 'O'
- C525 IF the attribute 'DECLARATION RESPONSE.Information type is '1' and the attribute 'DECLARATION  
RESPONSE.Risk' is '0'  
THEN the data group can not be used  
ELSE the data group is = 'R'
- C527 IF the attribute 'IMPORT OPERATION.ENS Risk' is = '0'  
THEN the attribute can not be used  
ELSE the data group is = 'O'
- C529 IF 'Specific circumstance indicator = 'A'  
THEN the attribute 'Transport mode at the border' (box 25)' 7' and '9' can not be used  
IF 'Specific circumstance indicator = 'C'  
THEN the attribute 'Transport mode at the border' (box 25)' 1', '2', '4', '7', '8' and '9' can not be used  
IF of 'Specific circumstance indicator = 'D'  
THEN the attribute 'Transport mode at the border' (box 25)' 1', '3', '4', '7', '8' and '9' can not be used  
ELSE the attribute 'Transport mode at the border' (box 25)' = 'R' (any value)
- C540 IF 'IMPORT OPERATION.ENS Risk' = '0'  
THEN the datagroup/attribute can not be used  
ELSE the datagroup/attribute = 'R'
- C542 IF 'IMPORT OPERATION.ENS Risk' = '0'  
THEN this data group/attribute can not be used  
ELSE the datagroup/attribute = 'C' (the other conditions apply)
- C550 IF 'IMPORT OPERATION.ENS Risk' = '0'  
THEN the datagroup/attribute can not be used  
ELSE the datagroup/attribute = 'C' (the other conditions apply)
- C552 IF 'PERSON Lodging the summary declaration' is used (because he is the sender of the amendment request)  
THEN data group 'Trader Representative' can not be used  
ELSE data group 'Trader Representative' = 'R' (because he is the sender of the amendment request).



DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- C562 IF 'Specific circumstance indicator is 'E'  
THEN the attribute = 'R'  
ELSE the attribute = 'O'
- C567 IF the attribute 'Specific circumstance indicator = 'A'  
THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'  
ELSE IF the attribute 'Commercial Reference Number (box 7)' and Commercial Reference Number (ex box 7)' is not used,  
THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present  
ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'
- C570 IF the attribute 'Specific circumstance indicator' = 'A'  
THEN the attribute must occur at least once (min. 1 value)  
ELSE this attribute must occur at least twice (min. 2 values)
- C571 IF the attribute 'Item Number concerned' for at least one of the occurrences of the data group CUSTOMS INTERVENTION' is present  
THEN the data group is = 'O'  
ELSE the data group can not be used
- C574 IF the attribute 'Specific circumstance indicator' = 'A'  
THEN  
the attribute 'IMPORT OPERATION.Loading place' is = 'O'  
the attribute 'GOODS ITEM.Loading place' can not be used  
ELSE  
IF the attribute 'IMPORT OPERATION.Loading place' is used  
THEN the attribute 'GOODS ITEM.Loading place' can not be used  
ELSE the attribute 'GOODS ITEM.Loading place' = R
- C576 IF the attribute 'EXPORT OPERATION/ IMPORT OPERATION / TRANSIT OPERATION.Transport charges – Method of payment' is used  
THEN this attribute cannot be used  
ELSE this attribute = 'O'
- C577 IF the attribute 'Specific circumstance indicator' = 'A'  
THEN this data group or attribute = 'O'  
ELSE this data group or attribute = 'R'
- C579 IF the attribute 'Specific circumstance indicator' = 'E'  
THEN  
IF the attribute 'IMPORT OPERATION.Unloading place' is used  
THEN the attribute 'GOODS ITEM.Unloading place' can not be used,  
ELSE the attribute 'GOODS ITEM.Unloading place' = 'O'  
ELSE  
IF the attribute 'IMPORT OPERATION.Unloading place' is used  
THEN the attribute 'GOODS ITEM.Unloading place' can not be used,  
ELSE the attribute 'GOODS ITEM.Unloading place' = R
- C582 IF the data group 'PACKAGES' is used  
THEN this attribute is = 'R'  
ELSE this attribute can not be used
- C583 IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups  
THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O'  
ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM  
THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used  
ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'
- C584 IF the attribute 'Additional information id' = '10600' is used in this GOODS ITEM  
THEN IF the data group 'TRADER Notify party' is used  
THEN the data groups 'GOODS ITEM.TRADER.Notify party' and 'GOODS ITEM.TRADER Consignee' cannot be used  
ELSE the data group 'GOODS ITEM.TRADER.Notify party' = 'R' and the data group 'GOODS ITEM.TRADER Consignee' cannot be used  
ELSE IF the data group 'TRADER Consignee' is used  
THEN the data groups 'GOODS ITEM.TRADER Consignee' and 'GOODS ITEM.TRADER.Notify party' cannot be used  
ELSE the data group 'GOODS ITEM.TRADER Consignee' = 'R' and the data group 'GOODS ITEM.TRADER.Notify party' cannot be used
- C585 IF the attribute 'GOODS ITEM.Textual description' is used  
THEN this data group is = 'O'  
ELSE this data group is = 'R'
- C592 IF the attribute 'Specific circumstance indicator' = 'E'  
THEN this attribute is = 'O'  
ELSE  
IF 'IMPORT OPERATION.Total gross mass is used  
THEN this attribute is = 'O'  
ELSE this attribute is = 'R'
- R005 "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1".
- R007 Each 'Item no' (box 32) is unique throughout the declaration The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item".
- R021 A zero '0' is to be considered as a valid number in this field.
- R028 If the negative IE303 is generated for a declaration request IE302 including an MRN, the same MRN shall be included in IE303. In any other case the data element shall not be present.

<b>DDNIA for ICS P1. Version 13.00</b>	<b>Aligned to DDNIA RFC-LIST v0.29</b>
<b>REF:CUST-DEV3-SC09-DDNIA_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

- R030 The date has to be given in the format YYYYMMDD where:  
 YYYY = Year  
 MM = Month  
 DD = Day
- R031 In case of air- sea and inland waterway transportation the IMPORT OPERATION.MRN may be replaced by following other data elements identifying the diverted/arriving means of transport:  
 - the 'Identification of the means of transport' and  
 - the 'Transport mode at border (box 25)' and  
 - the 'Expected date of arrival'
- The 'Identification of the means of transport' shall - depending on the declared 'Transport mode at border (box 25) - correspond to following values :  
 - 1 and 8 (sea and inland waterway transport):  
 - the International Maritime Organisation (IMO) ship identification number or  
 - the European Vessel Identification Number (ENI),  
 (both corresponding to IE315.IMPORT OPERATION.Identity crossing border (box 21)  
 - 4 (air transport):  
 - The (IATA/ICAO) flight number. For air transport, in situations where the operator of the aircraft transports goods under a code-share arrangement with partners, the code-share partners flight numbers should be used (corresponding to IE315.IMPORT OPERATION.Conveyance reference number)
- R033 The 'Declaration request number' shall be allocated by the Customs generating the declaration request. It shall be unique per Member State and shall be composed of:  
 - 1-2 digit: country code of the Member State;  
 - 3-22 digit: unique number per Member State.
- R034 The 'Diversion LRN' of the diversion request (IE323) shall be indicated, only if the ENS declaration response (IE303) is generated based on a diversion request.
- R037 The 'Transport mode at border (box 25)' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request.  
 The 'Transport mode at border (box 25)' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
- R038 The 'Identification of the means of transport' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request.  
 The 'Identification of the means of transport' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
- R039 The 'Expected date of arrival' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request.  
 The 'Expected date of arrival' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
- R040 The data group can be present if the declaration response (IE303) is generated based on a declaration request (IE302). If the declaration response (IE303) is generated based on a diversion request (IE323), the data group can not be used.
- R080 Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in common domain messages.
- R098 The values and the use of this attribute are documented in the Design Document for National Import/Export/Transit Applications (DDNIA, DDNXA and DDNTA).
- R105 The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.
- R115 The IE structure used for the amendment is the same as E\_DEC\_DAT/E\_EXP\_DAT/E\_EXS\_DAT /E\_ENS\_DAT with some changes:  
 replace LRN by MRN R an18,  
 replace 'Declaration date' by 'Date of amendment' R n8, (NCTS /ECS)  
 replace 'Declaration date and time' by 'Date and time of amendment' R n12 (ICS),  
 replace 'Declaration place' by 'Amendment place' R an..35  
 The IE transmits a complete amended declaration data, this means that all data groups and attributes are transmitted and not only those that are amended.
- R123 From the originally received IE, only the attributes in error are transmitted back to the Trader, indicating whether the attribute(s) in question is (are) missing or incorrect.
- R131 If two or more Offices of subsequent Entry belong to the same National Administration, then only one IE319 (C\_ENS\_SUB) is sent to the National Administration in question.
- R132 The data group 'RISK ANALYSIS' contains the consolidated risk analysis results from the Office of first Entry. Risk analysis results from the Office of Lodgement (if any) are transmitted, if it is part of the consolidation.

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- R133 Following data shall be forwarded:
- Case 1 (not applicable for ICS Phase 1): The full C\_ENS\_SND data including the relevant common safety and security risk analysis results. As relevant are to be regarded all occurrences of the data group 'RISK ANALYSIS' which include a 'Risk analysis result code' for which the last digit is 'A', 'B', 'C' or 'Z' (only these occurrences of the data group 'RISK ANALYSIS' are to be forwarded). In case 1 the attribute 'IMPORT OPERATION.Information type' is set to '2'.
  - Case 2: As long as ICS is restricted to the use of information type '1', case 2 shall be used in any case and shall consist:
    - A. Either of the full C\_ENS\_SND data if relevant common risk analysis results are present on the ENS header level (regardless of the availability of risk analysis results that are linked to ENS goods items). This is the case where one or more occurrences of the data group 'RISK ANALYSIS' are available for which the attribute 'Item Number (Box 32) involved' is not present and for which the last digit of the attribute 'RISK ANALYSIS.Risk analysis result code' is 'A', 'B', 'C' or 'Z'. Only the occurrences of the data group 'RISK ANALYSIS' which have a Risk analysis result code of type 'A', 'B', 'C' or 'Z' shall be sent.
    - B. Or, in any other case, of the full C\_ENS\_SND data but including only the goods items (possibly all of them) for which relevant common risk analysis results are present on ENS goods item level. This is the case where one or more occurrences of the data group 'RISK ANALYSIS' are available for which the attribute 'RISK.ANALYSIS.Item Number (Box 32) involved' is present. In this case only these occurrences of the ENS goods items and those occurrences of the 'RISK ANALYSIS' data group for which the last digit of the 'Risk analysis result code' is 'A', 'B', 'C' or 'Z' shall be sent. In case 2 the attribute 'IMPORT OPERATION.Information type' is set to '1'.
- Once information type '2' becomes applicable, cases 1 and 2B shall be used only (case 2A shall become case 1).
- R134 The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.
- R136 The data group shall contain only the 'Document Type (Box 44)' which refers to transport documents.
- R147 The data group shall be used if the ENS to which the message refers to contains one or more 'Document Type (Box 44)' which refers to transport documents. All declared transport documents shall be included in the message.
- R148 The data in the IE corresponds always to the current (latest) version of the data. This means that it contains the amended declaration data (if any) and/or the revised declaration data after a control (if any).
- R221 Even if the IE is sent for one or more goods items of an ENS (but not for all of them), the following attributes shall contain the totals for the complete ENS (for all items declared in the ENS):
- Total number of items (box 5)
  - Total number of packages (box 6)
  - Total gross mass (box 35)
- R232 "Variable Holiday Date" is used as a flag and can contain 2 possible values:  
 '0': the holiday date is fixed and thus the year doesn't have to be specified (e.g. Christmas = 25 December  
 '1': the holiday date is variable and therefore the year will need to be specified together with the date (e.g. Easter Monday)
- R410 The IE consist of top level data groups. Each top level data group has its own data group ACTION which attributes apply to the top level data group and its subsequent sub data groups.  
 The sender of the IE will always (in case of Create, Update and Delete) send all values of the occurrence.  
 The "Operation" attribute is used to indicate what action is applied to the occurrence in the IE. Its value can be: "C" (create), "U" (update), "D" (delete).  
 The "Validity date" together with the attribute "Modification Subtype" allow the following mechanism:  
 An occurrence becomes invalid as of the specified "Validity date" when the value of "Modification Subtype" is set to "0" (implies an implicit end date).  
 An occurrence and all values of the attributes become valid as of the specified "Validity date" when the value of "Modification Subtype" is set to "1".  
 The values of the attributes become applicable as of the "Validity date" when the value of "Modification Subtype" is set to "2" (this is when the value of the attribute(s) change).
- "C" (create) :  
 The create operation is used to create a new occurrence of an entity;  
 "U" (update):  
 The update operation is used to change an existing occurrence. It can render an existing occurrence invalid or it can modify existing values of attribute(s) of an occurrence;  
 "D" (delete):  
 The delete operation is used to physically delete an occurrence. This operation must only be used when data has been created erroneously.
- R411 The 'Operation' attribute is used to indicate what action is applied:  
 'C' (create), 'D' (delete).  
 In case of "updates", the data group 'SYSTEM UNAVAILABILITY' to be updated will be first deleted and then (re-) created.
- R422 This attribute refers to the content of Column 2 in the UN/LOCODE. Column 2 shows the names of the locations (city names) which have been accepted for inclusion in UN/LOCODE, in accordance with the provisions of Recommendation n° 16 (see Rule 460).
- R425 The attribute "Season Code" is NOT used as a flag. It is possible to have up to 9 different "seasons" in a year, depending on a defined time period, which is completely covering the year-period.
- R430 The "Day in the week (end)" must be equal or greater then the "Day in the week (begin)".
- R445 The SENSITIVE GOODS CODE consists of two parts: the first part represents the HS6 six digit commodity code of the TARIC system, the second part represents the "Sensitive Goods Code" which is a two numeric digit code, to be defined by DG TAXUD.  
 This two digit numeric "Sensitive Goods Code" is only used when the 6 digit HS6 code is not specific enough to identify the concerned goods (example: the codes "0405xx" and "2208xx" in the TARIC system cover both sensitive and non sensitive goods, or more than one sensitive good, and must be extended to 0405xx.01 and 2208xx.01 in order to uniquely identify the sensitive goods).  
 These codes are used in the "List of Goods which when transported give rise to an increase in the Flat-rate Guarantee" (see proper domain).
- R456 For "Package Code" use the alphabetic two-digit UN-code going from "AE"= "aerosol" to "WB" = "Wickerbottle".

<b>DDNIA for ICS P1. Version 13.00</b>	<b>Aligned to DDNIA RFC-LIST v0.29</b>
<b>REF:CUST-DEV3-SC09-DDNIA_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

- R460 This UN/LOCODE refers to the 3 digit alphabetical code of the second part of Column 1 in the UN/LOCODE - Code for Ports and other Locations . Column 1 shows in a first part the ISO 3166 alpha-2 Country Code, which is followed by a space and a 3-alpha code for the city (location) name: XX XXX. This combination is invariably identifying the "City Name". This UN/LOCODE city name is used as an attribute in the "CUSTOMS OFFICE LSD" entity.
- R486 This attribute can be used to indicate potential specific characteristics of the Customs Office, namely regarding variation of opening hours (e.g. during public holidays, etc.), operational and/or procedural restrictions (e.g. competent only for simplified procedures, competent only for certain goods, the only office authorised to accept flat-rate guarantees, etc.). This attribute will be coded by DG TAXUD after clear definition of the need of the NAs.
- R489 Reference Number Main Office is used to indicate the Customs Office (local) to which the Customs Office in question is subordinate. The use of this attribute is left up to the NAs.
- R490 Reference Number Higher Authority is used to indicate that the Customs Office in question has a higher authority. As a consequence this attribute becomes required when the Office in question has a higher authority.
- R495 Reference Number Take-over is used to indicate another Customs Office that replaces (take-over) the Customs Office in question when the latter is no longer able to perform NCTS operations.
- R500 At least 1 of the 4 attributes must be present.
- R501 Only corresponding values which are carried over from a previous message may be used.
- R660 The time has to be given in the format YYYYMMDDHHMM where:  
 YYYY = Year  
 MM = Month  
 DD = Day  
 HH = Hour  
 MM = Minute
- R661 The 'Declaration registration date and time' is the date and time when the ENS is registered and the MRN is allocated. It corresponds to the 'Declaration registration date and time' communicated in IE328.
- R662 The 'Amendment acceptance date and time' is the date when the acceptance of an amendment request to an ENS is registered. It corresponds to the 'Amendment acceptance date and time' communicated in IE304.
- R666 The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local date and time of the first place of arrival.
- R670 The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place.
- R806 The data group is required if different from the data group 'PERSON Lodging the summary declaration'.
- R808 If some of the goods are destined to be transported to subsequent Offices of Entry, then this data group is required.
- R809 If the intervention/control notification is for one or some of the declared containers/identities crossing border (box 21)/transport documents, only those container numbers/ identities crossing border (box 21)/transport documents, shall be included in the message.
- R810 The attribute 'GOODS ITEM.Item number (Box 32) must match with the attribute 'Item Number concerned' of at least one of the occurrences of the data group 'CUSTOMS INTERVENTION'.
- R811 The 'Total number of items' is the total number of goods items sent in this message.
- R814 The Office to which the amendment request had been sent shall be used.
- R816 Only those occurrences of the data group shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'A', 'B', 'C' or 'Z'.
- R818 The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration.
- R820 If risk analysis has been performed for the requested MRN/MRN item number, only those occurrences of the data group 'RISK ANALYSIS' shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'A', 'B' or 'C'.  
 If no risk analysis has been performed for the requested MRN / MRN item number, then the declaration response (IE303) shall include one occurrence of the data group 'RISK ANALYSIS'. The 'Risk Analysis result code' shall be 'Z'.
- R823 The United Nations Dangerous Goods Identifier (UNDG) is the unique serial number (n4) assigned within the United Nations to dangerous substances and articles. This element shall be provided where it is relevant.
- R824 The 'Item Number (box 32) involved' shall be indicated if the risk analysis result relates to an item of an Entry summary declaration (ICS), Exit summary declaration or Export declaration (ECS) or Transit declaration (NCTS). In any other case the attribute 'Item Number (box 32) involved' shall not be used.
- R826 For air cargo transported with other modes of transported than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).
- R827 The 'Customs Office of Lodgement' shall be present if it is different from the 'Customs Office of first Entry' and not be present if it is the same as the 'Office of first Entry'.
- R828 Following rule shall be checked on the basis of the common reference data:  
 If the Office of Lodgement is located in another Member State than the Office of first Entry (first 2 digits of the Customs Office.Reference number are different), then the Office of Lodgement shall only accept the ENS if both of following conditions are met:  
 • The Member State in which the Office of Lodgement is located must accept to receive the ENS and to forward it to the Member State in which the Office of first Entry is located;  
 • The Member State in which the Office of first Entry is located must accept to receive and process ENS that is forwarded by an Office of Lodgement in another Member State.
- R829 The data group 'Customs Office of Lodgement' shall not be present.
- R833 The data group 'Customs Office of Lodgement' shall be present if it is present in the ENS (IE315 or amendment IE313) to which the IE351 refers to.

<b>DDNIA for ICS P1. Version 13.00</b>	<b>Aligned to DDNIA RFC-LIST v0.29</b>
<b>REF:CUST-DEV3-SC09-DDNIA_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

R834	This following check shall be performed if the AEO-Database in which the AEO certificate numbers are registered is available when performing the check: <ul style="list-style-type: none"> <li>The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person Lodging the ENS' and all 'Consignees' declared in the ENS have a valid AEO certificate of type 'AEOF' or 'AEOS'.</li> <li>If an amendment request (IE313) is concerned and if the amendment request is sent by a Representative, then the Representative shall have a valid AEO certificate of type 'AEOF' or 'AEOS' as well.</li> </ul>
R835	If the Trader has a valid EORI Trader Identification number (TIN), then the TIN shall be declared. Other than EORI-TIN shall not be used.
R836	Following rule shall be checked on the basis of the Customs Office reference data: The Office of Lodgement to which the ENS is sent must be entitled to act as an Office of Lodgement.
R837	The EORI Trader Identification number (TIN) shall be declared.
R840	If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification Number (TCUIN) which has been made available to the Union by the third country concerned then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.
R841	The value in the data group 'Representative' shall be equal to the 'Representative' identified by the 'Person lodging the ENS' in the original (first) version of the ENS.
R842	The 'CUSTOMS OFFICE of first Entry. Reference number' shall be an Office which is located in the same Member State as the one identified by the 'Person lodging the ENS' in the original (first) version of the ENS.
R843	The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).
R866	If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.
R875	The attribute 'Item Number' refers to corresponding 'Item number' of the E_EXS_DAT (IE 615)/E_ENS_DAT (IE315) /E_EXP_DAT (IE515)/ E_DEC_DAT (IE15).
R879	Exit: The country of final destination must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.
R881	If the attribute is used, its minimum length is 4 digits.
R886	No amendment allowed for 'PERSON lodging the summary declaration'. The 'CUSTOMS OFFICE of (first)Entry' must be located in the same Member State as the Office of first Entry declared in the Entry summary declaration.
R887	The 'Item number'/'Arrival item number'/'Pre-arrival item number' is the sequential number of the listed items in this message. It must be unique throughout the declaration.
R888	The item number as presented in the accepted (Entry) summary declaration with the same MRN has to be entered.
R891	The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival notification). It shall be unique per Trader sending the transaction.
R895	Only the Trader to whom the Office concerned is sending the advanced intervention notification (IE351) shall be used in the message.
R896	The data group 'TRADER Representative' can be used by the 'PERSON Lodging the entry summary declaration' to authorise a Representative to amend an Entry summary declaration on his behalf at the Office of first Entry concerned. If preventive/prohibitive measures are to be taken (IE351) or if controls at Entry are to be communicated to the trader prior to the arrival at Entry (IE351), the trader identified here, will be receiving the 'Advanced intervention notification' – IE351.
R897	The attribute shall refer to the item number of the requested Entry summary declaration.
R899	The country code is required to enable ICS to request the ENS data and the safety and security risk analysis results from the Office of first Entry declared in the ENS (e.g. in case of international diversion or where the forwarding of risk information failed for any reasons). It shall correspond to the first and second digit of the 'Customs Office of first Entry' declared in the Entry summary declaration.
TR0022	In case the value of a MESSAGE.GOODS ITEM.PACKAGES.Number of Packages is '0' then there should exist at least one GOODS ITEM with the same 'Marks and Numbers of Packages', and 'Number of Packages' with value greater than '0'.
TR0030	IF [ ("MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "C") OR ("MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "U" AND "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Modification subtype" = "1") ] THEN [this data group (or data item if applied to a data item) is 'R'(required)] ELSE [this data group (or data item if applied to a data item) is 'O'(optional)]
TR0099	This data item must be entered if the message is encoded in EDIFACT and the corresponding free text field is not in the UNOC character set. It is otherwise optional. If the data item is filled in, it must contain the language code of the language used in the corresponding free text field.
TR0101	This field is to be validated against Codelist 39 (Additional information coded codes) if used in a Common Domain message. This field is to be validated against the Additional information coded valid in the NA if used in an External Domain message.
TR0103	This field is to be validated against Codelist 13 (Document Type) if used in a Common Domain message. This field is to be validated against the Document Type valid in the NA if used in an External Domain message.
TR0104	Document/reference number is not needed for IE906 related to IE411, IE30, IE31, IE32, IE34, IE37, IE912, IE913, IE914, IE916, IE931, IE932, IE70, IE71, IE971 and also for IE302 and IE303 when no Document/Reference number is provided. It must be present in IE906 related to all other messages.

<b>DDNIA for ICS P1. Version 13.00</b>	<b>Aligned to DDNIA RFC-LIST v0.29</b>
<b>REF:CUST-DEV3-SC09-DDNIA_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

TR0105	The value of the "Downtime FROM" in the MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY Data Group must be within the time range ["Time FROM", "Time TO"] specified in the MESSAGE - COUNTRY - UNAVAILABILITY MATRIX Data Group.
TR0107	This time cannot be in the past.
TR0200	This data group or item is Required when NTA/NECA sends AAR/AER/ATR/EXS in response to the request; otherwise not used.
TR0201	This data group or item is Optional/Dependent when NTA/NECA/NICA sends AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0202	This data item is Required when NTA/NECA/NICA does not send AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0203	This data item is Optional/Dependent when NTA/NECA/NICA does not send AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0403	The maximum time period covered by the season is one year and there must be no overlap of seasons, meaning that the starting date of one season must be after the finishing day of any previous season.
TR0518	IF [ 'Transport mode at border' = '4' ] THEN [ (the attribute has format an..8) AND ( the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements) ].
TR0519	IF [ ( 'Transport mode at border' = '1' ) AND (the Conveyance reference number is used) AND (the first four digits consist of XFER in uppercase)] THEN [ it must be followed by the lorry registration plate number, without any separator between 'XFER' and the lorry plate] ELSE [ XFER cannot be used in the first four digits of the Conveyance reference number].
TR0670	The first two digits of the attribute shall be validated against Codelist 8 'Country Codes (full list)'.
TR0700	Values of field 'type' must be identical throughout the message (i.e.: same value in all the repetitions of the "System Unavailability" group).
TR0702	Note that the IE71 is a replica of the IE70 and so the same conditions and rules can be applied. In case of unscheduled unavailability the 'down time to' of the IE70 is optional. For the purpose of consolidation, IE70 with Type 'U' or 'N' that have no value for 'downtime to' are considered as being ongoing. This means that when a IE70 is received by the system with an empty 'down time to'-field, the timer will keep on running until a new IE70 is received containing a filled in 'down time to'-field.
TR0703	Within a single "SYSTEM UNAVAILABILITY" data-group, the "Downtime from" must be prior to the "Downtime to".
TR0704	The conjunction of the following data items uniquely identifies a system unavailability: - COUNTRY.Country code - SYSTEM UNAVAILABILITY.Business functionality - SYSTEM UNAVAILABILITY.Downtime from - SYSTEM UNAVAILABILITY.Type
TR0811	The data item 'Total number of items' has to be equal to the total occurrences of the data group 'GOODS ITEM'.
TR0812	The value of this field has to be greater or equal to the sum of all 'GOODS ITEM.Gross mass' fields.
TR1002	This data group is applicable to NCTS Phase 4 only.
TR1003	This data group is applicable to ECS Phase 2 only.
TR1005	This data group is applicable to EORI-AEO only.
TR1006	This data group/ item is applicable to ICS Phase 1 only.
TR1007	The HEADER data group is not needed for IE917 related to IE30, IE31, IE32, IE912, IE913, IE914, IE916, IE931, IE932, IE70, IE71, IE971. It must be present in IE917 related to all other messages.
TR1012	This data group is applicable to ECS Phase 2 and NCTS Phase 4 only.
TR1013	This Data group is applicable to ECS Phase 2 and ICS Phase only.
TR1015	This data group is applicable to ECS Phase 2, NCTS Phase 4 and ICS Phase 1 only.
TR9001	The content and the format of the ACTION.Action identification attribute is free to be chosen by the producer of the message. The content must be unique in the context of the enclosing Original message identification.
TR9002	IF "MESSAGE.COUNTRY.ACTION.Operation" = "C", "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.System unavailability type" = "N" AND "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.Business functionality" = "V" or "S" THEN the date in "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.Downtime from" shall be at least 6 weeks after "MESSAGE.Date of preparation".
TR9006	The UPL RESPONSE.Original message identification is equal to the Interchange control reference of the corresponding IE30 transmitted.
TR9007	The value of this attribute can be: "OK", "REJECTED", "ERRORS" or "NOAUTH".
TR9009	The value of the UPL ERROR.Action identification is equal to the Action identification of the corresponding transmission.
TR9010	The attribute path is a hierarchical path from the root of the modifying occurrence down to the attribute in the message using indexed data group names and attribute names.
TR9020	The values of a date and time attribute must be specified by NAs using GMT time reference.
TR9025	Only System Unavailability Type "S" is acceptable for this field in the IE912 message.
TR9080	Within the "HEADER" data-group, the "Period from date" must be prior or equal to the "Period to date".
TR9085	In Normal Mode of Operation if this field is used it must have a value of 0.
TR9099	Within the "HEADER" data-group, one (or more) of the contained fields must be present.
TR9110	The value of this attribute shall be '1' in case an extraction is requested. If it is not used a retrieval will be requested.

DDNIA for ICS P1. Version 13.00	Aligned to DDNIA RFC-LIST v0.29
REF:CUST-DEV3-SC09-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- TR9115 In case that an extraction is requested, the 'Period from date' and/or the 'Period to date' fields will be used to request occurrences valid in the specified period. On the contrary, in case retrieval is requested, the 'Period from date' and/or the 'Period to date' fields will be used to request occurrences modified and published in the specified period.
- TR9160 Reference Number Competent Authority for Enquiry is used to indicate that the Customs Office in question has a Competent Authority of Enquiry for the NCTS P4. As a consequence this attribute becomes required when the Office in question has a Competent Authority of Enquiry.
- TR9170 Reference Number Competent Authority for Recovery is used to indicate that the Customs Office in question has a Competent Authority of Recovery for the NCTS P4. As a consequence this attribute becomes required when the Office in question has a Competent Authority of Recovery.
- TR9175 The last digit, which is used to identify the type of risk, shall be validated against codelist "Risk analysis result code".
- TR9181 The field is Required for response and rejection messages. It does not apply for requests and one way messages.
- TR9190 This field is domain specific and it includes the numeric values 1 for NCTS, 2 for ECS or 3 for ICS.
- TR9200 IF "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "U" AND "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Modification subtype" = "0"  
THEN the "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Validity date" shall be at least 15 days after the "MESSAGE.Date of preparation".
- TR9201 IF "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "U" AND "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Modification subtype" = "0"  
THEN "MESSAGE.CUSTOMS OFFICE INFORMATION.Reference number take-over" = "R"  
ELSE "MESSAGE.CUSTOMS OFFICE INFORMATION.Reference number take-over" = "O"
- TR9205 The "ENTRY KEY" data group shall be used only when the rejected messages are the IE302 and the IE303, and the Entry Key is present in these messages. Otherwise, the "Document/reference number" shall be used at the "HEADER" data group. For IE302 and IE303, the first MRN will be used (if the "ENTRY KEY" is not used). The "Document/reference number" data item and the "ENTRY KEY" data group cannot be used at the same time.
- TR9250 The field can accept any printable character from ISO/IEC 8859-1, ISO/IEC 8859-2, ISO/IEC 8859-3, ISO/IEC 8859-4, ISO/IEC 8859-5, ISO/IEC 8859-7 or ISO/IEC 8859-9. Any other character must be transliterated to one of the aforementioned character sets.